

D i l e b o o k · A P R I L 2 2





**Express
contact**
commercial
department



Online access
to **catalogue**
of the model
(PDF)



Online access to
**technical data
sheet** of the
model (PDF)



Online access to
photographs of
the model



Online access
to model
certificates



Online
access to
model **CAD
files**

At DILE, we ensure that our commercial tools have maximum utility.

In this sense, we incorporate **INTERACTIVE BOOKMARKS** that will help you navigate through the contents in a fast and intuitive way.

You can also access **ONLINE** material on the **DILE** website, using the icons on each page.

PRODUCT MAP

Task Chairs



Equis



Equis upholstered



Flexa 24H



Flexa



Atika 24H



Atika mesh



Atika upholstered



Atika Pure



Atika Air



AtikaPro



FoxPro mesh



FoxPro upholstered



SignoPro mesh



SignoPro upholstered



AdaptaPro

Multipurpose Contract



Atenea plastic



Atenea upholstered



Atenea Form



Atlanta plastic



Atlanta Form



Splash plastic



Splash mesh



Reload plastic



Reload upholstered



Reload mesh



Confident



Custom



Kind



Ari



Feel

PRODUCT MAP

Executive



Aita



Boss



Neo+



Trinity



XL+



Acer+



X-Light

Soft Seating



Aita



Anak



Calma



Circle



Medusa



Spera



Brooklyn



Norma



Astoria



Quatro



Slastic



Tempo

Basic



Fast Ergo



Tecnico

Tables



Calice



Coffee



Waiting

Stools



Stools



Accessories



Upholstered



Finishes



Assembly service



48h Delivery




8 Days service



Conditions


CHAIR
CONFIGURATION



- 1 **Ref. S0000**
Product codes
are located in the first column of all tables.
- 2 **Cod. aa**
Material of the rear structure
this is a code established by the manufacturer.
- 3 **Cod. bb**
Upholstery and material
for seat and/or backrest: according to the desired upholstery group.
- 4 **Cod. xx**
Back support frame colour
This depends on the options available for each product
(if there are any).
- 5 **Cod. yy**
Seat and/or the back support covering and upholstery colour.
Please consult the fabric card and specify the complete
code (for example, if it is a F18 fabric, the 3 characters have
to be specified).

If its the client's own fabric, the minimum width required
is 140 cm. The required length will be specified.

CONFIGURED
CHAIR



- 1 **Reference**
✓ S2243
S2243
- 2 **Mesh: Cod. 12**
- 3 **Group 02: Cod. 02**
- 4 **Back support frame: Cod. 01**
✓ 01 White 06 Orange 22 Grey
02 Black 20 Green 26 Brown
- 5 **Seat and/or the back support covering and upholstery colour: Cod. G3**
G2 G4 G7 G10
✓ G3 G5 G8 G12




assembly service à la carte

How would you like to receive our chairs?

This is a question we often ask our customers, and since we at DILE are committed to meeting every need, we offer you an **à la carte service**.


A / SEAT UNASSEMBLED

The shipping of the unassembled seat doesn't require any technical knowledge as it is a very simple procedure and is described in a very graphic way in the technical sheets of each collection.




B / SEAT SEMI-ASSEMBLED

You receive the seat "almost" ready to use. Assembly is done in 2 easy steps without tools and with just one click.



C / SEAT ASSEMBLED

You receive the seat "ready" to use. The customer will only have to dispose of the cardboard packaging in a specific paper garbage can.



48h delivery*



What is it?

A permanent stock of products available to our customers within 48 hours from factory outlets.

AdaptaPro

Ref. S1310-0601-02C5 + BR06

Black nylon base, asynchro mechanism system, black C5 upholstery and adjustable armrests.

Equis

Ref. S4220-1701-02C5 + BR02

Black nylon base, synchro sliding mechanism, black mesh backrest, black C5 seat and adjustable armrests.

SignoPro

Ref. S3687-1201-02C5 + BR06

Black nylon base, synchro mechanism, black mesh backrest, black C5 seat and adjustable armrests.

Atenea

Ref. S0888-0600-0200 + BR14

In black polypropylene and black structure.

AtikaPro

Ref. S2239-1201-02C5 + BR06

Black nylon base, synchronised mechanism, black mesh backrest, black C5 seat and adjustable armrests.

Flexa


Ref. S1005-0601-02C5 + BR02

Black nylon base, synchro mechanism, black C5 upholstery and adjustable armrests.



Place your order

8 days service



What is it?

We offer you 8 references of operational chairs and it will be shipped within 8 days once order confirmed.

Configure the seat with the upholstery, mesh, armrests and accessories available in the price list. Place your order and in 8 working days it will be ready for shipment to any destination.

Equis
Ref. S4220

Flexa
Ref. S1005

AtikaPro
Ref. S2239

SignoPro
Ref. S2687

SignoPro
Ref. S3687

FoxPro
Ref. S3604

Atika
Ref. S2711

AdaptaPro
Ref. S1310





Place your order

FUNCTIONING OF DILE MECHANISMS

01. ADVANCED TILTING SYSTEM

The advanced tilting system is used on single-shell models, and moves the centre of rotation forward. This means that when the Mechanism (with its characteristic Z-shape) is released, the position of the feet on the floor is maintained.




02. SYNCHRO MECHANISM

The synchro Mechanism allows a synchronised tilting movement of the seat and backrest over the centre of rotation in non-single-shell models. The degree of seat and backrest inclination is adjusted together.

03. BALANCE SYSTEM



The balance mechanism is exclusive to single-shell models, and moves the seat and backrest together around the centre of the chair, with a central locking system. It is made with high-quality injected polished aluminum.



FUNCTIONING OF DILE MECHANISMS

01. ASYNCHRON MECHANISM SYSTEM

The asynchron Mechanism system permits a synchronised tilting of the seat and the backrest over the centre of rotation of the seat, but independently in non-single-shell models. That is, the degrees of seat and backrest inclination are adjusted separately.



02. SYNCHRO SLIDING SYSTEM


The weight-sensitive Mechanism system allows a synchronised tilting movement of the seat and the backrest over the centre of the chair in nonsingle-shell models. The degree of inclination of the seat and backrest is adjusted together.

Additionally, the Mechanism has a seat shifter system with various depth positions.

03. PERMANENT CONTACT SYSTEM

The permanent contact Mechanism allows the degree of backrest inclination to be adjusted.

Additionally, when the Mechanism is released, thanks to the pressure regulation system, the stiffness of movement can be adjusted.



04. REVOLVING SYSTEM

The revolving system is an auto-rotating Mechanism of the seat and backrest that allows the chair to be rotated when sitting. When the occupant stands, the chair returns to its initial position.

This maintains an orderly appearance in waiting rooms and meeting areas.



BR02/BR23

Adjustable in height, in black injected polypropylene (BR02) or white and black (BR23).
Armrest in black injected polyurethane.

- 11 cm height adjustment, with 10 locking positions.

BR02 valid for AdaptaPro/Atika Air/Atika/AtikaPro/Equis/Flexa/FoxPro/Neo+/SignoPro/XL+

BR23 valid for AdaptaPro/Atika Air/Atika/AtikaPro/Equis/Flexa/FoxPro/Neo+/XL+

BR03

3D, in black injected polypropylene. Armrest in black injected polyurethane.

- 11 cm height adjustment, with 10 locking positions.

- Multi-position adjustment of the armrest. It has a displacement of 19 cm forward and backward, and 6 cm laterally, being able to adopt any position between these measurements.

Valid for AdaptaPro/Atika Air/Atika/AtikaPro/Equis/Flexa/FoxPro/Neo+/SignoPro/XL+

BR04

4D, in black injected polypropylene. Armrest in polyurethane.

- 7 cm height adjustment, with 6 locking positions.

- Regulation of the depth of the armrest, 3 cm in each direction.

- Armrest rotation, 30° maximum in each direction.

- Regulation of the width between armrests, up to 3 cm on each side.

Valid for AdaptaPro/Atika Air/Atika/AtikaPro/Equis/Flexa/FoxPro/Neo+/SignoPro/XL+

BR05/BR06

Adjustable in height, in black injected polypropylene (BR06) or white (BR05).
Armrest in polyamide.

- 8 cm height adjustment, with 9 locking positions.

BR05 valid for AdaptaPro/Atika Air/AtikaPro/Flexa/FoxPro

BR06 valid for AdaptaPro/Atika Air/Atika/AtikaPro/Flexa/FoxPro/SignoPro/XL+

BR09

4D, in black injected polypropylene. Armrest in polyurethane.

- Height regulation 10 cm, with 10 locking positions.
- Regulation of the depth of the armrest, 2.5 cm in each direction.
- Armrest rotation, 30° maximum in each direction.
- Regulation of the width between armrests, up to 5 cm on each side.

Valid for Atika24H/Atika/Equis/Flexa/Neo+/XL+

BR10

2D, in black injected polypropylene. Armrest in polyurethane.

- Height regulation 10 cm, with 10 block positions.
- Regulation of the width between armrests, up to 5 cm on each side.

Valid for Atika24H/Atika/Equis/Flexa/Neo+/XL+

BR12/BR13

4D with internal frame in polished aluminum (BR13) or black nylon (BR12), and exterior in polyamide. Armrest in polyurethane.

- Height regulation 10 cm.
- Regulation of the depth of the armrest, 4 cm in each direction.
- Armrest rotation, 30° maximum in each direction. By keeping the inner button pressed you can rotate 180°.
- Regulation of the width between armrests, up to 7.5 cm per side.

Valid for Flexa 24h

BR25

4D with internal frame in black painted steel. Exterior and armrest in polyamide

- Height regulation 10 cm.
- Regulation of the depth of the armrest, 3,5 cm in each direction.
- Armrest rotation, 30° maximum in each direction.
- Regulation of the width between armrests, up to 4 cm per side.

Valid for AdaptaPro/Atika Air/Atika/AtikaPro/Equis/Flexa/FoxPro/Neo+/SignoPro/XL+

e q u i s

Equis, a collection of operative chairs with a distinct identity and at the same time with a clear personality, specially emphasized by the arms that merge from the backrest.



Jorge Perini



e q u i s



e q u i s



e q u i s



e q u i s



18.

e q u i s





High white chair | S0000-17bb-xyyy

Reference	Base	Back mesh	Wheels	Arms	Mechanism
S4200	black nylon	adjustable lumbar support	nylon/rubber	without arms	sliding system
S4201	polished aluminium	adjustable lumbar support	chrome/rubber	without arms	sliding system
S4202	white aluminium	adjustable lumbar support	chrome/rubber	without arms	sliding system
S4210	black nylon	adjustable lumbar support	nylon/rubber	fixed integrated in structure	sliding system
S4211	polished aluminium	adjustable lumbar support	chrome/rubber	fixed integrated in structure	sliding system
S4212	white aluminium	adjustable lumbar support	chrome/rubber	fixed integrated in structure	sliding system

Units 1 / Customer fabric 59 cm / Weight 16 Kg / Volume 0,20 m³



8d

High black chair | S0000-17bb-xyyy

Reference	Base	Back mesh	Wheels	Arms	Mechanism
S4220*	black nylon	adjustable lumbar support	nylon/rubber	without arms	sliding system
S4221	polished aluminium	adjustable lumbar support	chrome/rubber	without arms	sliding system
S4222	white aluminium	adjustable lumbar support	chrome/rubber	without arms	sliding system
S4230	black nylon	adjustable lumbar support	nylon/rubber	fixed integrated in structure	sliding system
S4231	polished aluminium	adjustable lumbar support	chrome/rubber	fixed integrated in structure	sliding system
S4232	white aluminium	adjustable lumbar support	chrome/rubber	fixed integrated in structure	sliding system

*For this reference in any of its finishes (see pages of available fabrics), DILE undertakes to manufacture within a maximum period of **8 days**. After 24 hours no modification or cancellation of the order will be accepted.

Units 1 / Customer fabric 59 cm / Weight 16 Kg / Volume 0,20 m³

Optional arms

Reference	BR02	BR23	BR03	BR04	BR09	BR10	BR25 (A)	BR24
Characteristics	1D	1D	3D	4D	4D	2D	4D	Fixed




Armrest can only be assembled in the chair option without fixed arms.
(A) Internal steel structure.




equis



02 / Black




05 / Blue




12 / Clear grey




18 / Red



22 / Anthracite



27 / Sea blue



30 / Dark green



31 / Brick red

Backrest mesh colour (xx)	
02	Black
05	Blue
12	Clear grey
18	Red
22	Anthracite
27	Sea blue
30	Dark green
31	Brick red





Accessories

Reference	Characteristics
S4300*	Black mesh headrest is adjustable in height and depth
S4301*	White mesh headrest is adjustable in height and depth

* The headrest must accompany a chair, it is not sold on its own. The mesh can be different from the backrest.



Reference	Characteristics
A004	Semi-assembled chair delivery
A006	Assembled chair delivery



CERTIFICATES AND REGULATIONS

UNE EN 1335:2001 parts 1, 2 y 3
UNE EN 89401-01



equis·upholstered

Equis, a collection of operative chairs with a distinct identity and at the same time with a clear personality, specially emphasized by the arms that merge from the backrest.



Jorge Perini



equis upholstered



equis upholstered





equis upholstered



equis upholstered



equis upholstered



equis upholstered



Upholstered white high chair | S0000-01bb-xyyy

Reference	Base	Back upholstered	Wheels	Arms	Mechanism
S4400	black nylon	adjustable lumbar support	nylon/rubber	without arms	sliding system
S4401	polished aluminium	adjustable lumbar support	chrome/rubber	without arms	sliding system
S4402	white aluminium	adjustable lumbar support	chrome/rubber	without arms	sliding system
S4410	black nylon	adjustable lumbar support	nylon/rubber	fixed integrated in structure	sliding system
S4411	polished aluminium	adjustable lumbar support	chrome/rubber	fixed integrated in structure	sliding system
S4412	white aluminium	adjustable lumbar support	chrome/rubber	fixed integrated in structure	sliding system

Units 1 / Customer fabric 59 cm / Weight 16 Kg / Volume 0,20 m³



Upholstered black high chair | S0000-01bb-xyyy

Reference	Base	Back upholstered	Wheels	Arms	Mechanism
S4420	black nylon	adjustable lumbar support	nylon/rubber	without arms	sliding system
S4421	polished aluminium	adjustable lumbar support	chrome/rubber	without arms	sliding system
S4422	white aluminium	adjustable lumbar support	chrome/rubber	without arms	sliding system
S4430	black nylon	adjustable lumbar support	nylon/rubber	fixed integrated in structure	sliding system
S4431	polished aluminium	adjustable lumbar support	chrome/rubber	fixed integrated in structure	sliding system
S4432	white aluminium	adjustable lumbar support	chrome/rubber	fixed integrated in structure	sliding system

Units 1 / Customer fabric 59 cm / Weight 16 Kg / Volume 0,20 m³

Optional arms

Reference	BR02	BR23	BR03	BR04	BR09	BR10	BR25 (A)	BR24
Characteristics	1D	1D	3D	4D	4D	2D	4D	Fixed



Armrest can only be assembled in the chair option without fixed arms.
(A) Internal steel structure.



equis upholstered



SP1 / Sand



SP2 / Black



SP3 / Anthracite



SP4 / Green



SP5 / Mustard



SP6 / Red



SP7 / Turquoise



SP8 / Sea Blue

Colour back (xx)	
SP1	Sand
SP2	Black
SP3	Anthracite
SP4	Green
SP5	Mustard
SP6	Red
SP7	Turquoise
SP8	Sea blue





Accessories

Reference	Characteristics
S4500*	Black upholstery headrest is adjustable in height and depth
S4501*	White upholstery headrest is adjustable in height and depth

* The headrest must accompany a chair, it is not sold on its own. The upholstery can be different from the backrest.



Reference	Characteristics
A004	Semi-assembled chair delivery
A006	Assembled chair delivery



CERTIFICATES AND REGULATIONS

UNE EN 1335:2001 parts 1, 2 y 3
UNE EN 89401-01



f l e x a 2 4 h

The FLEXA 24H is enveloping, it adapts to you. Versatile, dynamic, contemporary, strong, and flexible, it is accurate and comfortable with active ergonomics.



flexa 24h

01.

BACKREST

Backrest exterior is 100% recyclable, plastic injection black polypropylene, with 4 mm thick metal inserts. Backrest interior is made from fire retardant, high-density (60 kg/m³) expanded polyurethane foam. With adjustable height. Adjustable lumbar support.

02.

GAS LIFT COLUMN

Tested for user up to 150 kg (BS 5459/00 part 2), black or chromed depending on base.

03.

WHEELS

Double Emilsider wheels, 65 mm diameter with soft copolymer reinforced tread, soft, and designer hollow, with a copolymer reinforced body, tested for 24 hour use (EN 12529 / BIFMA X 5.1). Central body is black and the tread grey.

With safety brake system (EN 12529) that is adjustable to allow the chair to lightly brake, in order to prevent the chair from moving when left to use. A screw on the bottom of the wheel adjusts or deactivates the braking force.

The bolt connecting the base has a nylon circular ring to prevent noise when used with metal or aluminium bases.

04.

ARMS (OPTIONAL)

The 4D, with internal structure of polished aluminium or nylon, depending on base, and polyamide exterior. The 4D arm has passed the following tests: EN 1335 9.1 / EN 1335 9.2.1

05.

SEAT

Interior made from beech plywood (MQ cert. 07-175), covered with fire retardant (UNE EN 1021-2/06 / BS-5852/06), high-density (60 kg/m³) (EN 02. ISO 845) polyurethane foam.

06.

MECHANISM

Synchro sliding system / Synchro.

The synchro sliding system mechanism executes a synchronized tilting movement of the seat and backrest about the central axis of the chair, but this is done independently on non single-shell models. That is, the degree of backrest and seat tilt can be adjusted together.

07.

BASES

Polished aluminium, 70 cm diameter or nylon, 68 cm diameter.



flexa 24 h



High chair 24 H without arms | S0000-06bb-xyyy

Reference	Base	Back upholstered	Hollow EMILSIDER Wheels	Mechanism
S1035	black nylon	adjustable lumbar support	hollow/rubber	synchronised
S1034	polished aluminium	adjustable lumbar support	hollow/rubber	synchronised
S1038	white aluminium	adjustable lumbar support	hollow/rubber	synchronised
S1037	black nylon	adjustable lumbar support	hollow/rubber	sliding system
S1036	polished aluminium	adjustable lumbar support	hollow/rubber	sliding system
S1039	white aluminium	adjustable lumbar support	hollow/rubber	sliding system

Units 1 / Customer fabric 120 cm / Weight 20 Kg / Volume 0,17 m³



colour back polypropylene (xx)	
01	White
02	Black

Optional arms

Reference	BR12	BR13
Characteristics	4D Black	4D aluminium



Reference	Characteristics
A004	Semi-assembled chair delivery
A006	Assembled chair delivery



150kg
Maximum weight

CERTIFICATES AND REGULATIONS

BS 5459-2:2000 +A2:2008



f l e x a

FLEXA offers the most immersive sensation and absolute comfort. A unique upholstered office chair with adjustable lumbar support and height adjustable backrest.



f l e x a



f l e x a





8d

High chair without arms | S0000-06bb-xyyy

Reference	Base	Back upholstered	Wheels	Mechanism
S1005*	black nylon	adjustable lumbar support	nylon/rubber	synchronised
S1004	polished aluminium	adjustable lumbar support	chrome/rubber	synchronised
S1008	white aluminium	adjustable lumbar support	chrome/rubber	synchronised
S1007	black nylon	adjustable lumbar support	nylon/rubber	sliding system
S1006	polished aluminium	adjustable lumbar support	chrome/rubber	sliding system
S1009	white aluminium	adjustable lumbar support	chrome/rubber	sliding system

*For this reference in any of its finishes (see pages of available fabrics), DILE undertakes to manufacture within a maximum period of **8 days**. After 24 hours no modification or cancellation of the order will be accepted.

Units 1 / Customer fabric 120 cm / Weight 20 Kg / Volume 0,21 m³



Low chair without arms | S0000-06bb-xyyy

Reference	Base	Back upholstered	Wheels	Mechanism
S1022	black nylon	adjustable lumbar support	nylon/rubber	synchronised
S1023	polished aluminium	adjustable lumbar support	chrome/rubber	synchronised
S1024	white aluminium	adjustable lumbar support	chrome/rubber	synchronised
S1020	black nylon	adjustable lumbar support	nylon/rubber	sliding system
S1021	polished aluminium	adjustable lumbar support	chrome/rubber	sliding system
S1025	white aluminium	adjustable lumbar support	chrome/rubber	sliding system

Units 1 / Customer fabric 110 cm / Weight 20 Kg / Volume 0,21 m³



Cantilever without arms | S0000-06bb-02yy

Reference	Base
S1028	chrome skid

Units 1 / Customer fabric 110 cm / Weight 16 Kg / Volume 0,25 m³

Units 2 / Customer fabric 220 cm / Weight 32 Kg / Volume 0,35 m³

Optional arms

Reference	BR01 (A)	BR02	BR23	BR03	BR04	BR05	BR06	BR09 (B)	BR10 (B)	BR25 (C)
Characteristics	Fixed	1D	1D	3D	4D	1D	1D	4D	2D	4D



- (A) The BR01 arm can only be fitted to the cantilever model.
(B) The BR09 and BR10 arms can only be used when the K1011 self-weighting mechanism kit is included.
(C) Internal steel structure.





Accessories

Reference	Characteristics
S1010 (A)	Upholstered black headrest is adjustable in height and depth
S1011 (A)	Upholstered white headrest is adjustable in height and depth
K1011 (B)	Kit self-weighing mechanism
K9202 (C)	Conversion kit for nylon stool with wheels
K9203 (C)	Conversion kit for nylon stool with gliders
K9210 (C)	Conversion kit for aluminium stool with gliders
K9211 (C)	Conversion kit for aluminium stool with wheels


(A) The headrest must accompany a chair, it is not sold on its own. The headrest will be upholstered the same as the seat.

(B) This replaces the series mechanism with the self-weighting mechanism.

(C) Includes foot-ring, high gas spring, plugs or wheels (depending on selected reference).

colour back polypropylene (xx)	
01	White
02	Black

Reference	Characteristics
A004	Semi-assembled chair delivery
A006	Assembled chair delivery



Maximum weight

CERTIFICATES AND REGULATIONS

UNE EN 1335:2001 parts 1, 2 y 3

UNE EN 89401-01

a t i k a 2 4 h

Lighter, more efficient, more productive, more ergonomic.
More competitive, the new evolution of Atika.

Atika 24H is enveloping, it adapts to your body. Versatile,
dynamic, contemporary, robust and flexible. Precise and
comfortable. Active ergonomics.



atika 24h

01.

ARMS (OPTIONAL)

(BR09) 4D, 100% recyclable, injected black polypropylene, adjustable in height and width. Armrests rotate and are adjustable in depth. Armrest made of polyurethane.

(BR10) 2D, 100% recyclable, injected black polypropylene, adjustable in height and width. Armrest made of polyurethane.

02.

SEAT

Interior made from beech plywood (MQ cert. 07-175), covered with fire retardant (UNE EN 1021-2/06 / BS-5852/06), high-density (60 kg/m³) (EN ISO 845) polyurethane foam.

03.

MECHANISM

Synchro sliding system / synchro.

The synchro sliding system executes a synchronized tilting movement of the seat and backrest about the central axis of the chair. That is, the degree of backrest and seat tilt can be adjusted together.

It also has an Auto-weight function from 65 to 150 kg.

Has passed the following tests:

EN 1335-2/09 par. 4.1

EN 1335-3/09 AC:2009 par. 7.2.1

EN 1335-3/09 AC:2009 par. 7.2.2, EN 1335-3/09 AC:2009 par. 7.3.1, ANSI-BIFMA X5.1-2011/5

ANSI-BIFMA X5.1-2011/6, ANSI-BIFMA X5.1-2011/10

BS 5459-2/00 par. A.5.5, ZEK 01.4-8 1907/2006/EC, 1907/2006/EC

05.

BACKREST

Height adjustable using twin-tube steel slat, finished in black or chromed, 12 to 15 microns, depending on base.

Lumbar support positioned by height adjustment of the backrest.

06.

GAS LIFT COLUMN

Tested for users up to 150 kg (BS 5459/00 parte 2), black or chromed depending on the base.

07.

BASES

Polished aluminium, 70 cm diameter or nylon, 68 cm diameter.

04.

WHEELS

Double Emilsider wheels, 65 mm diameter, with soft reinforced copolymer rubberized rollers and hollow design with reinforced copolymer body tested for 24 hour use (EN 12529 / BIFMA X 5.1). Black central body and grey roller.



With safety braking system (EN 12529) that allows the chair to brake lightly when the user gets off the seat, in order to prevent the chair from moving. Screw on bottom of wheel to adjust the braking force or deactivation completely.

The bolt connecting the base has a circular nylon ring to prevent noise when using metal or aluminium bases.

atika 24h




Mesh high chair 24H without arms | S0000-12bb-xyyy



Reference	Base	Back mesh	Hollow EMILSIDER Wheels	Mechanism
S2731	black nylon	adjustable	hollow/rubber	synchronised
S2725	polished aluminium	adjustable	hollow/rubber	synchronised
S2730	black nylon	adjustable	hollow/rubber	sliding system
S2724	polished aluminium	adjustable	hollow/rubber	sliding system


Units 1 / Customer fabric 75 cm / Weight 20 Kg / Volume 0,17 m³




01 / White




02 / Black




06 / Orange



20 / Green



22 / Grey



26 / Brown



27 / Blue



Backrest mesh colour (xx)	
01	White
02	Black
06	Orange
20	Green
22	Grey
26	Brown
27	Blue

Optional arms

Reference	BR09	BR10
Characteristics	4D	2D



Reference	Characteristics
A004	Semi-assembled chair delivery
A006	Assembled chair delivery



Maximum weight

CERTIFICATES AND REGULATIONS

BS 5459-2:2000 +A2:2008



a t i k a

Atika is the operational chair that represents the impulse, the renewal and the adaptation to the requirements of the new business environments: lighter, more efficient, more productive... better. It redefines the concept of ergonomics with the best performance on the market.



at i k a m e s h



VERY IMPORTANT! 
The adjustable lumbar support is an accessory to be added to the initial reference.

a t i k a m e s h



at i k a m e s h



8d

Mesh high chair without arms | S0000-12bb-xyy

Reference	Base	Back mesh	Wheels	Mechanism
S2711*	black nylon	adjustable	nylon/rubber	synchronised
S2705	polished aluminium	adjustable	chrome/rubber	synchronised
S2710	black nylon	adjustable	nylon/rubber	sliding system
S2704	polished aluminium	adjustable	chrome/rubber	sliding system

*For this reference in any of its finishes (see pages of available fabrics), DILE undertakes to manufacture within a maximum period of **8 days**. After 24 hours no modification or cancellation of the order will be accepted.


Units 1 / Customer fabric 75 cm / Weight 20 Kg / Volume 0,17 m³



Cantilever mesh backrest | S0000-12bb-xyy

Reference	Base	Arms
S2732	4 black legs	
S2733	4 white legs	
S2734	4 chrome legs	
S2735	4 black legs	structural
S2736	4 white legs	structural
S2737	4 chrome legs	structural

Units 2 / Customer fabric 150 cm / Weight 36 Kg / Volume 0,33 m³




01 / White




02 / Black




06 / Orange




20 / Green



22 / Grey



26 / Brown



27 / Blue

Backrest mesh colour (xx)	
01	White
02	Black
06	Orange
20	Green
22	Grey
26	Brown
27	Blue



a t i k a u p h o l s t e r e d



atika upholstered



Upholstered high chair without arms | S0000-01bb-xyyy

Reference	Base	Back upholstered	Wheels	Mechanism
S2200	black nylon	adjustable	nylon/rubber	synchronised
S2206	polished aluminium	adjustable	chrome/rubber	synchronised
S2201	black nylon	adjustable	nylon/rubber	sliding system
S2207	polished aluminium	adjustable	chrome/rubber	sliding system

Units 1 / Customer fabric 95 cm / Weight 20 Kg / Volume 0,17 m³



Upholstered backrest cantilever | S0000-01bb-xyyy

Reference	Base	Arms
S2233	4 black legs	
S2234	4 white legs	
S2235	4 chrome legs	
S2236	4 black legs	structural
S2237	4 white legs	structural
S2238	4 chrome legs	structural

Units 1 / Customer fabric 95 cm / Weight 18 Kg / Volume 0,33 m³




B01 / Black



B02 / Red



B03 / Blue



B04 / Green



B05 / Sand

colour back (xx)	
B01	Black
B02	Red
B03	Blue
B04	Green
B05	Sand



a t i k a p u r e



atika pure



High chair PURE without arms | S0000-06bb-xyyy

Reference	Base	Back polyamide	Wheels	Mechanism
S2781	black nylon	adjustable	nylon/rubber	synchronised
S2775	polished aluminium	adjustable	chrome/rubber	synchronised
S2780	black nylon	adjustable	nylon/rubber	sliding system
S2774	polished aluminium	adjustable	chrome/rubber	sliding system

Units 1 / Customer fabric 75 cm / Weight 20 Kg / Volume 0,17 m³




Cantilever PURE backrest | S0000-06bb-xyyy

Reference	Base	Arms
S2227	4 black legs	
S2228	4 white legs	
S2229	4 chrome legs	
S2230	4 black legs	structural
S2231	4 white legs	structural
S2232	4 chrome legs	structural

Units 1 / Customer fabric 75 cm / Weight 18 Kg / Volume 0,33 m³



01 / White



02 / Black

Colour of poyamide PURE backrest (xx)	
01	White
02	Black



atika accessories



Accessories

Reference	Characteristics
S2715 (A)	Upholstered adjustable black headrest
S2716 (B)	Fixed polyurethane black headrest
S2270	Chromed coathanger
S9213 (C)	Adjustable lumbar support
K9202 (D)	Conversion kit for nylon stool with wheels
K9203 (D)	Conversion kit for nylon stool with gliders
K9210 (D)	Conversion kit for aluminium stool with gliders
K9211 (D)	Conversion kit for aluminium stool with wheels

(A)/(B) The headrest must accompany a chair, it is not sold on its own.

(A) The headrest will be upholstered the same as the seat.

(C) The adjustable lumbar support must be purchased with the chair, it is not sold separately. Not applicable for the Atika PURE.


(D) Includes foot-ring, high gas spring, plugs or wheels (depending on selected reference).

Reference	Characteristics
A004	Semi-assembled chair delivery
A006	Assembled chair delivery

Optional arms

Reference	BR01	BR02	BR23	BR03	BR04	BR06	BR09	BR10	BR25 (A)
Characteristics	Fixed	1D	1D	3D	4D	1D	4D	2D	4D

(A) Internal steel structure.



120kg Maximum weight

CERTIFICATES AND REGULATIONS

UNE EN 1335:2001 parts 1, 2 y 3
UNE EN 89401-01



atika · air

Both light and strong, this is the new solution of the Atika collection, perfect for those who are looking for a 100% mesh chair. Ultra resistant and very comfortable

a t i k a a i r



a t i k a a i r





atika air



High chair without arms | S0000-1200-xx00

Reference	Base	Back mesh	Wheels	Mechanism
S2247	black nylon	adjustable	nylon/rubber	synchronised
S2248	polished aluminium	adjustable	nylon/rubber	synchronised
S2249	black nylon	adjustable	nylon/rubber	sliding system
S2250	polished aluminium	adjustable	nylon/rubber	sliding system

Units 1 / Customer fabric 75 cm / Weight 20 Kg / Volume 0,21 m³

Optional arms

Reference	BR01	BR02	BR23	BR03	BR04	BR05	BR06	BR09 (A)	BR10 (A)	BR25 (B)
Characteristics	Fixed	1D	1D	3D	4D	1D	1D	4D	2D	4D



(A) The BR09 and BR10 arms can only be used when the K1011 Self-weighing Mechanism Kit is included.
(B) Internal steel structure.




Accessories

Reference	Characteristics
S2716 (A)	Fixed polyurethane black headrest
S2270	Chromed coathanger
S9213 (B)	Adjustable lumbar support
K9202 (C)	Conversion kit for nylon stool with wheels
K1011 (B)	Kit self-weighing mechanism
K9203 (C)	Conversion kit for nylon stool with gliders
K9210 (C)	Conversion kit for aluminium stool with gliders
K9211 (C)	Conversion kit for aluminium stool with wheels


(A) The headrest must accompany a chair, it is not sold on its own.
(B) The adjustable lumbar support must be purchased with the chair, it is not sold separately.
(C) Includes foot-ring, high gas spring, plugs or wheels (depending on selected reference).



Reference	Characteristics
A004	Semi-assembled chair delivery
A006	Assembled chair delivery








01 / White



02 / Black

Backrest mesh colour (xx)	
01	White
02	Black



CERTIFICATES AND REGULATIONS

UNE EN 1335:2001 parts 1, 2 y 3
UNE EN 89401-01



a t i k a p r o

Pro of professional, Pro of productive. A new proposal designed for highly demanding work environments, manufactured with first class materials and with a very competitive price.



a t i k a p r o



a t i k a p r o







8d

Mesh black high chair without arms | S0000-12bb-xyyy

Reference	Base	Back mesh	Wheels	Mechanism
S2239*	black nylon	adjustable	nylon/rubber	synchronised
S2241	polished aluminium	adjustable	nylon/rubber	synchronised
S2240	black nylon	adjustable	nylon/rubber	sliding system
S2242	polished aluminium	adjustable	nylon/rubber	sliding system

*For this reference in any of its finishes (see pages of available fabrics), DILE undertakes to manufacture within a maximum period of **8 days**. After 24 hours no modification or cancellation of the order will be accepted.

Units 1 / Customer fabric 75 cm / Weight 20 Kg / Volume 0,21 m³



The AtikaPro collection is complemented by the Splash mesh chair, as they share the same mesh finish.



Mesh white high chair without arms | S0000-12bb-xyyy

Reference	Base	Back mesh	Wheels	Mechanism
S2245	black nylon	adjustable	nylon/rubber	synchronised
S2243	polished aluminium	adjustable	nylon/rubber	synchronised
S2251	white aluminium	adjustable	nylon/rubber	synchronised
S2246	black nylon	adjustable	nylon/rubber	sliding system
S2244	polished aluminium	adjustable	nylon/rubber	sliding system
S2252	white aluminium	adjustable	nylon/rubber	sliding system

Units 1 / Customer fabric 75 cm / Weight 20 Kg / Volume 0,21 m³


Optional arms

Reference	BR01	BR02	BR23	BR03	BR04	BR05	BR06	BR09 (A)	BR10 (A)	BR25 (B)
Characteristics	Fixed	1D	1D	3D	4D	1D	1D	4D	2D	4D



(A) The BR09 and BR10 arms can only be used when the K1011 self-weighting mechanism kit is included.
(B) Internal steel structure.





Seat "PRO" injected
foam 60kg/m³

Accessories


Reference	Characteristics
S2715 (A)	Upholstered adjustable black headrest
S2716 (B)	Fixed polyurethane black headrest
A9100	Seat "PRO" injected foam 60kg/m³
S2270	Chromed coathanger
S9213 (C)	Adjustable lumbar support
K1011 (B)	Kit self-weighting mechanism
K9202 (D)	Conversion kit for nylon stool with wheels
K9203 (D)	Conversion kit for nylon stool with gliders
K9210 (D)	Conversion kit for aluminium stool with gliders
K9211 (D)	Conversion kit for aluminium stool with wheels

(A)/(B) The headrest must accompany a chair, it is not sold on its own.

(A) The headrest will be upholstered the same as the seat.


(C) The adjustable lumbar support must be purchased with the chair, it is not sold separately.

(D) Includes foot-ring, high gas spring, plugs or wheels (depending on selected reference).



Backrest mesh colour (xx)	
01	White
02	Black
06	Orange
20	Green
22	Grey
26	Brown
27	Blue

Reference	Characteristics
A004	Semi-assembled chair delivery
A006	Assembled chair delivery



CERTIFICATES AND REGULATIONS

UNE EN 1335:2001 parts 1, 2 y 3
UNE EN 89401-01



f o x p r o

FoxPro adapts to its user in every respect, providing ergonomics and its own personality; it is efficiency personified in a chair.



foxpro



foxpro

DILE



Upholstered high chair without arms | S0000-06bb-02yy

Reference	Base	Back upholstered	Wheels	Mechanism
S3618	black nylon	adjustable lumbar support	nylon/rubber	synchronised
S3616	polished aluminium	adjustable lumbar support	chrome/rubber	synchronised
S3617	black nylon	adjustable lumbar support	nylon/rubber	sliding system
S3615	polished aluminium	adjustable lumbar support	chrome/rubber	sliding system

Units 1 / Customer fabric 159 cm + 30 cm headrest / Weight 18 Kg / Volume 0,21 m³



8d

Mesh high chair without arms | S0000-12bb-xxyy

Reference	Base	Back mesh	Wheels	Mechanism
S3604*	black nylon	adjustable lumbar support	nylon/rubber	synchronised
S3602	polished aluminium	adjustable lumbar support	chrome/rubber	synchronised
S3603	black nylon	adjustable lumbar support	nylon/rubber	sliding system
S3601	polished aluminium	adjustable lumbar support	chrome/rubber	sliding system

*For this reference in any of its finishes (see pages of available fabrics), DILE undertakes to manufacture within a maximum period of **8 days**. After 24 hours no modification or cancellation of the order will be accepted.


Units 1 / Customer fabric 58 cm + 30 cm headrest / Weight 14,50 Kg / Volume 0,21 m³



The FoxPro mesh collection is complemented by the Reload mesh visitor model, as they share the same mesh finish.



01 / White



02 / Black




09 / Purple



18 / Red



20 / Green



22 / Grey



27 / Sea blue

Backrest mesh colour (xx)	
01	White
02	Black
09	Purple
18	Red
20	Green
22	Grey
27	Sea blue



Optional arms

Reference	BR01	BR02	BR23	BR03	BR04	BR05	BR06	BR25 (A)
Characteristics	Fixed	1D	1D	3D	4D	1D	1D	4D

(A) Internal steel structure.



Accessories

Reference	Characteristics
S2758 (A)	The upholstered headrest is adjustable in height
A9100	Seat "PRO" injected foam 60kg/m³
S2759 (B)	Chromed coathanger
K9202 (C)	Conversion kit for nylon stool with wheels
K9203 (C)	Conversion kit for nylon stool with gliders
K9210 (C)	Conversion kit for aluminium stool with gliders
K9211 (C)	Conversion kit for aluminium stool with wheels


(A) The headrest must accompany a chair, it is not sold on its own. The headrest will be upholstered the same as the seat. Headrest exterior in plastic injection black polypropylene.

(B) It can only be coupled to the FoxPro with a headrest.

(C) Includes foot-ring, high gas spring, plugs or wheels (depending on selected reference).



Seat "PRO" injected foam 60kg/m³



Reference	Characteristics
A004	Semi-assembled chair delivery
A006	Assembled chair delivery



CERTIFICATES AND REGULATIONS
UNE EN 1335:2001 parts 1, 2 y 3



signopro

SignoPro, an energetic and dynamic design, full of harmonic curves. Softness and Strength.

SignoPro is a complete range of products ideal for the success of any project, versatile, adaptable, robust.



signopro



signopro





High chair with headrest without arms | S0000-06bb-02yy

Reference	Base	Wheels	Mechanism
S2677	black nylon	nylon/rubber	synchronised
S2673	polished aluminium	chrome/rubber	synchronised
S2675	black nylon	nylon/rubber	sliding system
S2671	polished aluminium	chrome/rubber	sliding system

Units 1 / Customer fabric 77 cm / Weight 20 Kg / Volume 0,26 m³



Upholstered high chair without arms | S0000-06bb-02yy

Reference	Base	Wheels	Mechanism
S2687*	black nylon	nylon/rubber	synchronised
S2683	polished aluminium	chrome/rubber	synchronised
S2685	black nylon	nylon/rubber	sliding system
S2681	polished aluminium	chrome/rubber	sliding system

*For this reference in any of its finishes (see pages of available fabrics), DILE undertakes to manufacture within a maximum period of **8 days**. After 24 hours no modification or cancellation of the order will be accepted.

Units 1 / Customer fabric 77 cm / Weight 19 Kg / Volume 0,21 m³



Mesh high chair without arms | S0000-12bb-02yy

Reference	Base	Wheels	Mechanism
S3687*	black nylon	nylon/rubber	4 positions synchronised
S3683	polished aluminium	nylon/rubber	4 positions synchronised
S3685	black nylon	nylon/rubber	4 positions sliding system
S3681	polished aluminium	nylon/rubber	4 positions sliding system

*For this reference in any of its finishes (see pages of available fabrics), DILE undertakes to manufacture within a maximum period of **8 days**. After 24 hours no modification or cancellation of the order will be accepted.

Units 1 / Customer fabric 77 cm / Weight 14,5 Kg / Volume 0,17 m³





Low chair upholstered without arms | S0000-06bb-02yy

Reference	Base	Wheels	Mechanism
S2693	black nylon	nylon/rubber	synchronised independent
S2691	polished aluminium	nylon/rubber	synchronised independent

Units 1 / Customer fabric 77 cm / Weight 15 Kg / Volume 0,17 m³



Cantilever skid without arms | S0000-06bb-02yy

Reference	Base
S2696	black skid
S2694	chrome skid

Units 1 / Customer fabric 77 cm / Weight 15 Kg / Volume 0,25 m³

Units 2 / Customer fabric 154 cm / Weight 30 Kg / Volume 0,33 m³



Cantilever 4 legs | S0000-06bb-02yy

Reference	Base	Arms
S2699	4 legs grey	polyamide
S2698	4 chrome legs	polyamide

Units 2 / Customer fabric 154 cm / Weight 16 Kg / Volume 0,48 m³

Optional arms

Reference	BR01 (A)	BR02	BR03	BR04	BR06	BR25 (B)
Characteristics	Fixed	1D	3D	4D	1D	4D



(A) The BR01 arm can only be fitted to the cantilever model.

(B) Internal steel structure.



Reference	Characteristics
A004	Semi-assembled chair delivery
A006	Assembled chair delivery




Seat "PRO" injected
foam 60kg/m³



Accessories

Reference	Characteristics
A9100	Seat "PRO" injected foam 60kg/m ³
K9202 (B)	Conversion kit for nylon stool with wheels
K9203 (B)	Conversion kit for nylon stool with gliders
K9210 (B)	Conversion kit for aluminium stool with gliders
K9211 (B)	Conversion kit for aluminium stool with wheels

(A) Includes foot-ring, high gas spring, plugs or wheels (depending on selected reference).



120kg Maximum weight

CERTIFICATES AND REGULATIONS

UNE EN 1335:2001 parts 1, 2 y 3



adapta pro

The AdaptaPro collection includes swivel, visitor and 4-legs chairs, allowing you to create harmonious and integrated spaces.

AdaptaPro is active ergonomics: a back with the natural curves of our own backs that helps us to maintain a healthy posture.



a d a p t a p r o



a d a p t a p r o





8d

High chair without arms | S0000-06bb-xyyy

Reference	Base	Wheels	Mechanism
S1311	black nylon	nylon/rubber	permanent contact
S1313**	polished aluminium	nylon/rubber	permanent contact
S1310*	black nylon	nylon/rubber	synchronised independent
S1312	polished aluminium	nylon/rubber	synchronised independent

*For this reference in any of its finishes (see pages of available fabrics), DILE undertakes to manufacture within a maximum period of **8 days**. After 24 hours no modification or cancellation of the order will be accepted.

Units 1 / Customer fabric 78 cm / Weight 14,50 Kg / Volume 0,17 m³

colour back polypropylene (xx)	
01	White**
02	Black

** Only available for reference S1313



Low chair 4 legs without arms | S0000-06bb-xyyy

Reference	Base
S1321	black

Units 1 / Customer fabric 78 cm / Weight 12,50 Kg / Volume 0,25 m³

Units 2 / Customer fabric 156 cm / Weight 24 Kg / Volume 0,35 m³



Cantilever skid without arms | S0000-06bb-xyyy

Reference	Skid
S1341	black
S1332	chrome

Units 1 / Customer fabric 78 cm / Weight 24 Kg / Volume 0,25 m³



Cantilever skid | S0000-06bb-xyyy

Reference	Skid	Arms
S1330	grey	fixed polyurethane
S1331	chrome	fixed polyurethane

Units 1 / Customer fabric 78 cm / Weight 24 Kg / Volume 0,33 m³

Units 2 / Customer fabric 156 cm / Weight 48 Kg / Volume 0,35 m³



Optional arms

Reference	BR01 (A)	BR02	BR23	BR03	BR04	BR05	BR06	BR25 (B)
Characteristics	fixed	1D	1D	3D	4D	1D	1D	4D



(A) The BR01 arm can only be fitted to the 4 legs and confident models.
(B) Internal steel structure.









Seat "PRO" injected
foam 60kg/m³



Accessories

Reference	Characteristics
A9100	Seat "PRO" injected foam 60kg/m³
K9202*	Conversion kit for nylon stool with wheels
K9203*	Conversion kit for nylon stool with gliders
K9210*	Conversion kit for aluminium stool with gliders
K9211*	Conversion kit for aluminium stool with wheels

*Includes foot-ring, high gas spring, plugs or wheels (depending on selected reference).



Reference	Characteristics
A004	Semi-assembled chair delivery
A006	Assembled chair delivery



Maximum
weight

CERTIFICATES AND REGULATIONS

UNE EN 1335:2001 parts 1, 2 y 3

a t e n e a

ATENEA, designed by Rafa Ortega with one objective: to obtain a lightweight, ergonomic and versatile chair that can be adapted to the integration and functionality requirements of any project, with reusable materials that conserve our environment.





a t e n e a



a t e n e a



a t e n e a





5-radius swivel chair Y aluminium | S0000-0600-xx00

Reference	Base	Wheels	Arms	Connecting piece	Mechanism
S0804*	5-radius black nylon	nylon/rubber	fixed polypropylene	Y aluminium	gas lift
S0805*	5-radius polished aluminium	chrome/rubber	fixed polypropylene	Y aluminium	gas lift

*This model must be equipped with armrests.

Units 1 / Weight 7,70 Kg / Volume 0,17 m³



5-radius swivel chair without arms | S0000-0600-xx00

Reference	Base	Wheels	Mechanism
S0800	5-radius black nylon	nylon/rubber	gas lift
S0801	5-radius polished aluminium	chrome/rubber	gas lift

Units 1 / Weight 7,70 Kg / Volume 0,17 m³



4-radius swivel chair without arms | S0000-0600-xx00

Reference	Base	Wheels	Mechanism
S0930	4-radius white nylon	nylon/rubber	swivel
S0931	4-radius black nylon	nylon/rubber	swivel
S0932	4-radius graphite nylon	nylon/rubber	swivel
S0933	4-radius white nylon	gliders	swivel
S0934	4-radius black nylon	gliders	swivel
S0935	4-radius graphite nylon	gliders	swivel

Units 1 / Weight 7,70 Kg / Volume 0,17 m³



4-legs chair without arms | S0000-0600-xx00

Reference	Frame
S0828	graphite
S0885	grey
S0886	chrome
S0887	white
S0888	black

Units 1 / Weight 7,70 Kg / Volume 0,43 m³

Units 2 / Weight 15 Kg / Volume 0,43 m³

Units 5 / Weight 38,50 Kg / Volume 0,43 m³

Optional arms

Reference	BR14
Characteristics	fixed





Upholstered accessories | S0000-00bb-xyyy

Reference	Description	Units	Volume
S0806	panel seat upholstered	1	0,06 m³
S0807	panel back upholstered	1	0,06 m³

Customer fabric	(bb = Upholstery group 01)	
	seat	seat+back
Fabric	57 cm	60 cm



Chair for collaborative spaces Atenea Form | S0000-0600-xx00

Reference	Frame	Table	Weight	Volume
S0872*	graphite	white compacmel	21 Kg	0,33 m³
S0873*	graphite	black compacmel	21 Kg	0,33 m³
S0874*	graphite	without table	20 Kg	0,33 m³



*These references do not have wheels or gliders included, add by selecting options from the following table.

Accessories Atenea Form



Reference	Description	Units
S9109	standard wheel Form	1
S9110	brake unloaded wheel Form	1
S9140	gliders Form	4



01 / White



02 / Black



05 / Blue



06 / Orange



16 / Green



17 / Red



22 / Graphite



32 / Blue
RAL 5014

Colour polypropylene (xx)	
01	White
02	Black
05	Blue
06	Orange
16	Green
17	Red
22	Graphite
32	Blue RAL 5014





Bench | S0000-0600-xx00

Reference	Seats	Total number of boxes	Lenght	Weight	Volume
S0850	2	3	100 cm	14 Kg	0,17 m³
S0851	3	3	150 cm	20 Kg	0,25 m³
S0852	4	3	200 cm	26,5 Kg	0,25 m³
S0853	5	3	250 cm	33 Kg	0,26 m³
S0854	2+Table	3	150 cm	18,5 Kg	0,25 m³
S0855	3+Table	3	200 cm	25 Kg	0,25 m³
S0856	4+Table	3	250 cm	30 Kg	0,26 m³

Bench V set of legs

Reference	PAV01	PAV02	PAV03	PAV04	PAV05
Characteristics	Black steel leg/ black steel bar	Grey steel leg/ grey steel bar	Polished aluminium leg/ black steel bar	Polished aluminium leg/ grey steel bar	Black nylon leg/black steel bar
Weight/Volume	7 Kg / 0,06 m³	7 Kg / 0,06 m³	3,2 Kg / 0,06 m³	3,2 Kg / 0,06 m³	5 Kg / 0,11 m³



VERY IMPORTANT!

The complete bench is composed of one of the Bench table references and one of the Bench set of legs table references.

Bench T set of legs

Reference	PAT06	PAT07	PAT08	PAT09
Characteristics	Black steel leg/ black steel bar	Grey steel leg/ grey steel bar	Black steel leg ground Widthr/black steel bar	Grey steel leg ground Widthr/grey steel bar
Weight/Volume	9,4 Kg / 0,06 m³	9,4 Kg / 0,06 m³	9,4 Kg / 0,06 m³	9,4 Kg / 0,06 m³



Benches accessories

Reference	Characteristics
S9216	USB Charger
PAT10	Connecting kit for black T-benches
PAT11	Connecting kit for grey T-benches

























Accessories

Reference	Description	Colour	Units	Weight	Volume
S0808	Document rack	chrome	1	0,75 Kg	0,018 m ³
S0847	Document rack	graphite (A)	1	0,75 Kg	0,018 m ³
S0830	Anti-noise gliders kit	chrome nylon	4	0,16 Kg	0,002 m ³
S0831	Seat union kit	grey nylon	5	0,14 Kg	0,002 m ³
S0834	Folding table kit phenolic graphite (right)	chrome	1	1,15 Kg	0,018 m ³
S0835	Folding table kit phenolic graphite (left)	chrome	1	1,15 Kg	0,018 m ³
S0878	Folding table kit phenolic graphite (right)	graphite (A)	1	1,15 Kg	0,018 m ³
S0879	Folding table kit phenolic graphite (left)	graphite (A)	1	1,15 Kg	0,018 m ³
S2546	Trolley for chairs	black	1	33,80 Kg	0,025 m ³

(A) The folding table support arm and document rack are available in graphite and chrome. White, black and grey finishes are only available for minimum order of 25 units. In that case, please consult delivery time.



CERTIFICATES AND REGULATIONS

UNE EN 16139:2013 L2

UNE EN 89401-01



atenea·upholstered

The Atenea collection extends its versatility with the incorporation of upholstery solutions to all its references. A touch of warmth and comfort that complements its many features, giving it a more personal character.





atenea upholstered



atenea upholstered



atenea upholstered



Swivel chair upholstered 5-radius without arms | S0000-00bb-00yy

Reference	Base	Wheels	Mechanism
S5800	5-radius black nylon	nylon/rubber	gas lift
S5801	5-radius polished aluminium	chrome/rubber	gas lift

Units 1 / Customer fabric 120 cm / Weight 7,70 Kg / Volume 0,17 m³



Swivel chair upholstered 4-radius without arms | S0000-00bb-00yy

Reference	Base	Wheels	Mechanism
S5930	4-radius white nylon	wheels	swivel
S5931	4-radius black nylon	wheels	swivel
S5932	4-radius graphite nylon	wheels	swivel
S5933	4-radius white nylon	gliders	swivel
S5934	4-radius black nylon	gliders	swivel
S5935	4-radius graphite nylon	gliders	swivel

Units 1 / Customer fabric 120 cm / Weight 7,70 Kg / Volume 0,17 m³



4-legs chair upholstered without arms | S0000-00bb-xyyy

Reference	Frame
S5828	graphite
S5885	grey
S5886	chrome
S5887	white
S5888	black

Units 1 / Customer fabric 120 cm / Weight 7,70 Kg / Volume 0,43 m³

Units 2 / Customer fabric 240 cm / Weight 15 Kg / Volume 0,43 m³

Units 5 / Customer fabric 600 cm / Weight 38,50 Kg / Volume 0,43 m³



atenea upholstered

Optional arms

Reference	BR14
Characteristics	fixed



Colour polypropylene Arms

01	White
02	Black
05	Blue
06	Orange
16	Green
17	Red
22	Graphite
32	Blue RAL 5014



01 / White



02 / Black



05 / Blue



06 / Orange



16 / Green



17 / Red










22 / Graphite



32 / Blue
RAL 5014

Customer fabric	(bb = Upholstery group 01)
	seat+back
Fabric	80 cm



CERTIFICATES AND REGULATIONS

UNE EN 16139:2013

UNE EN 89401-01



a t l a n t a

Designed by Rafa Ortega, this is a folding chair designed to achieve the best horizontal stacking, thus optimizing space and improving the user's mobility. A different solution that extends the performance of the Dile line of chairs for the public sector.





a t l a n t a



a t l a n t a



a t l a n t a



a t l a n t a



a t l a n t a



atlanta

Swivel chair | S0000-0600-xx00



Reference	Base	Wheels	Mechanism
S4160	5-radius black nylon	nylon/rubber	gas lift
S4161	5-radius polished aluminium	chrome/rubber	gas lift
S4162	4-radius white nylon	wheels	swivel
S4163	4-radius black nylon	wheels	swivel
S4164	4-radius graphite nylon	wheels	swivel
S4165	4-radius white nylon	fixed gliders	swivel
S4166	4-radius black nylon	fixed gliders	swivel
S4167	4-radius graphite nylon	fixed gliders	swivel

Units 1 / Weight 7,70 Kg / Volume 0,25 m³

4-legs chair chair | S0000 0600 xx00



Reference	Frame	Arms
S4100	4 white legs	
S4101	4 black legs	
S4102	4 graphite legs	
S4103	4 chrome legs	
S4104	4 grey legs	
S4110	4 white legs	fixed arms
S4111	4 black legs	fixed arms
S4112	4 graphite legs	fixed arms
S4113	4 chrome legs	fixed arms
S4114	4 grey legs	fixed arms

Units 2 / Weight 14,50 Kg / Volume 0,33 m³
Units 4 / Weight 26,30 Kg / Volume 0,36 m³



4-legs chair with wheels | S0000 0600 xx00

Reference	Frame	Arms
S4120	4 white legs	
S4121	4 black legs	
S4122	4 graphite legs	
S4123	4 chrome legs	
S4124	4 grey legs	
S4130	4 white legs	fixed arms
S4131	4 black legs	fixed arms
S4132	4 graphite legs	fixed arms
S4133	4 chrome legs	fixed arms
S4134	4 grey legs	fixed arms

Units 2 / Weight 14,50 Kg / Volume 0,33 m³
Units 4 / Weight 26,30 Kg / Volume 0,36 m³



Chair for collaborative spaces Atlanta Form | 0000-0600-xx00

Reference	Frame	Table	Weight	Volume
S4172*	graphite	white compacmel	21 Kg	0,33 m³
S4171*	graphite	black compacmel	21 Kg	0,33 m³
S4170*	graphite	without table	20 Kg	0,33 m³



*These references do not have wheels or gliders included, add by selecting options from the following table.

Accessories Atlanta Form

Reference	Description	Units
S9109	standard wheel Form	1
S9110	brake unloaded wheel Form	1
S9140	gliders Form	4



109.



atlanta



Bench | S0000-0600-xx00

Reference	Seats	Total number of boxes	Lenght	Weight	Volume
S4140	2	3	100 cm	14,4 Kg	0,17 m³
S4141	3	3	150 cm	20,6 Kg	0,25 m³
S4142	4	3	200 cm	27,4 Kg	0,25 m³
S4143	5	3	250 cm	32,9 Kg	0,26 m³
S4144	2+Table	3	150 cm	18,8 Kg	0,25 m³
S4145	3+Table	3	200 cm	25,3 Kg	0,25 m³
S4146	4+Table	3	250 cm	31,3 Kg	0,26 m³

Bench V set of legs

Reference	PAV01	PAV02	PAV03	PAV04	PAV05
Characteristics	Black steel leg/ black steel bar	Grey steel leg/ grey steel bar	Polished aluminium leg/black bar	Polished aluminium leg/grey bar	Black nylon leg/ black steel bar
Weight/Volume	7 Kg / 0,06 m³	7 Kg / 0,06 m³	3,2 Kg / 0,06 m³	3,2 Kg / 0,06 m³	5 Kg / 0,11 m³



VERY IMPORTANT!

The complete bench is composed of one of the Bench table references and one of the Bench set of legs table references.

Bench T set of legs

Reference	PAT06	PAT07	PAT08	PAT09
Characteristics	Black steel leg/ black steel bar	Grey steel leg/ grey steel bar	Black steel leg ground Widthr/black steel bar	Grey steel leg ground Widthr/grey steel bar
Weight/Volume	9,4 Kg / 0,06 m³	9,4 Kg / 0,06 m³	9,4 Kg / 0,06 m³	9,4 Kg / 0,06 m³



Benches accessories

Reference	Characteristics
S9216	USB Charger
PAT10	Connecting kit for black T-benches
PAT11	Connecting kit for grey T-benches




Customer fabric (bb = Upholstery group 01)	
seat	
Fabric	60 cm

Upholstered accessories | S0000-06bb-xyy

Reference	Description	Volume
S4150	panel seat upholstered	0,06 m³


Colour polypropylene (xx)	
01	White
02	Black
22	Graphite
32	Blue RAL 5014



Accessories

Reference	Characteristics	Colour	Units
S4151	Folding table kit (right)*	graphite	1
S4152	Folding table kit (left)*	graphite	1

* Armrests painted in graphite, phenolic in graphite




CERTIFICATES AND REGULATIONS

UNE EN 16139:2013



s p l a s h

Designed by Alberto Basaglia and Natalia Rota Nodari, SPLASH is unclassifiable, but by itself, it represents renewal, the entry into a new phase in the spaces in which it sits.



Alberto Basaglia +
Natalia Rota Nodari



s p l a s h



Lightness, brightness, and straight lines for new times. An extremely comfortable innovative design based on the idea of clean lines, with a steel frame.

s p l a s h



s p l a s h



s p l a s h



s p l a s h



splash plastic



Swivel plastic | S0000-0600-xx00

Reference	Base	Wheels	Mechanism	Arms
S1820	black nylon	nylon/rubber	gas lift	
S1821	polished aluminium	chrome/rubber	gas lift	
S1822	black nylon	nylon/rubber	gas lift	fixed
S1823	polished aluminium	chrome/rubber	gas lift	fixed

Units 1 / Weight 7,50 Kg / Volume 0,17 m³




01 / White



02 / Black



16 / Green



17 / Red



22 / Grey

Colour polypropylene (xx) splash plastic	
01	White
02	Black
16	Green
17	Red
22	Grey



Stool plastic | S0000-0600-xx00

Reference	Base	Arms
S1810	grey skid	
S1811	black skid	
S1812	white skid	
S1813	chrome skid	
S1814	grey skid	fixed
S1815	black skid	fixed
S1816	white skid	fixed
S1817	chrome skid	fixed

Units 2 / Weight 20 Kg / Volume 0,48 m³

Chair plastic | S0000-0600-xx00

Reference	Base	Arms
S1800	grey skid	
S1801	black skid	
S1802	white skid	
S1803	chrome skid	
S1804	grey skid	fixed
S1805	black skid	fixed
S1806	white skid	fixed
S1807	chrome skid	fixed

Units 2 / Weight 14 Kg / Volume 0,48 m³

Units 5 / Weight 35 Kg / Volume 0,48 m³



Upholstered accessories | S0000-06bb-xyyy

Reference	Description	Volume
S1860	panel upholstered back	0,06 m³
S1859	panel upholstered seat	0,06 m³

Customer fabric (bb = Upholstery group 01)		
	Panel seat	Panel back
Fabric	61 cm	61 cm

Bench plastic | S0000-0600-xx00

Reference	Seats	Frame	Lenght	Weight	Volume
S1830	2	chrome	100 cm	16,86 Kg	0,31 m³
S1831	3	chrome	150 cm	22,40 Kg	0,31 m³
S1832	4	chrome	200 cm	28,20 Kg	0,35 m³
S1833	2+Table	chrome	150 cm	21,00 Kg	0,31 m³
S1834	3+Table	chrome	200 cm	26,80 Kg	0,35 m³



Benches accessories

Reference	Characteristics
S9216	USB Charger



splash mesh



Swivel mesh | S0000-0612-xyyy

Reference	Base	Wheels	Mechanism	Arms
S3820	black nylon	nylon/rubber	gas lift	
S3821	polished aluminium	chrome/rubber	gas lift	
S3822	black nylon	nylon/rubber	gas lift	fixed
S3823	polished aluminium	chrome/rubber	gas lift	fixed

Units 1 / Weight 7,50 Kg / Volume 0,17 m³

Stool mesh | S0000-0612-xyyy

Reference	Base	Arms
S3810	grey skid	
S3811	black skid	
S3812	white skid	
S3813	chrome skid	
S3814	grey skid	fixed
S3815	black skid	fixed
S3816	white skid	fixed
S3817	chrome skid	fixed

Units 2 / Weight 20 Kg / Volume 0,48 m³

Chair mesh | S0000-0612-xyyy

Reference	Base	Arms
S3800	grey skid	
S3801	black skid	
S3802	white skid	
S3803	chrome skid	
S3804	grey skid	fixed
S3805	black skid	fixed
S3806	white skid	fixed
S3807	chrome skid	fixed

Units 2 / Weight 14 Kg / Volume 0,48 m³

Units 5 / Weight 35 Kg / Volume 0,48 m³

Bench mesh | S0000-0612-xyyy

Reference	Seats	Frame	Lenght	Weight	Volume
S3830	2	chrome	100 cm	16,86 Kg	0,31 m³
S3831	3	chrome	150 cm	22,40 Kg	0,31 m³
S3832	4	chrome	200 cm	28,20 Kg	0,35 m³
S3833	2+Table	chrome	150 cm	21,00 Kg	0,31 m³
S3834	3+Table	chrome	200 cm	26,80 Kg	0,35 m³



colour polypropylene (xx) splash mesh	
01	White
02	Black
22	Grey



01 / White



02 / Black



22 / Grey

Upholstered accessories | S0000-06bb-xyyy

Reference	Description	Volume
S1859	upholstered seat	0,06 m³

Benchs accessories


Reference	Characteristics
S9216	USB Charger



Customer fabric (bb = Upholstery group 01)	
Panel seat	
Fabric	61 cm



splash accessories



Backrest mesh colour (yy)	
01	White
02	Black
06	Orange
20	Green
22	Grey
26	Brown
27	Blue






Accessories

Reference	Characteristics	Colour	Units	Weight	Volume
S1861	Union kit for table/skid chair without arms	grey	1	0,05 Kg	0,002 m³
S1862	Union kit for skid chair with arms/writing table	grey	1	0,10 Kg	0,002 m³
S1863	Anti-noise felt kit for skid chair	white	4	0,002 Kg	0,002 m³
S1864	Document rack	chrome	1	0,9 Kg	0,03 m³
S1865	Writing table (right)*	black	1	1,20 Kg	0,018 m³
S1866	Writing table (left)*	black	1	1,20 Kg	0,018 m³
S1867	Writing table (right)*	white	1	1,20 Kg	0,018 m³
S1868	Writing table (left)*	white	1	1,20 Kg	0,018 m³
S1869	Trolley for chairs	black	1	11,50 Kg	0,012 m³
S1870	Stackable phenolic collective table	chrome	1	9,60 Kg	0,018 m³
S1871	Stackable phenolic collective table	grey	1	9,60 Kg	0,018 m³
S1872	Stackable phenolic collective table	black	1	9,60 Kg	0,018 m³
S1873	Stackable phenolic collective table	white	1	9,60 Kg	0,018 m³
S1874	Trolley for tables	black	1	11,50 Kg	0,012 m³

* The writing table must be accompanied by a chair with arms.



s p l a s h



 120kg Maximum weight

CERTIFICATES AND REGULATIONS

UNE EN 16139:2013

UNE EN 89401-01



reload

Reload is the evolution of the traditional conference and waiting room chair. The new solution involves the use of a wide variety of components with high functionality and modularity, which cooperate in a technological and aesthetical manner, suitable for use in a modern environment.



reload plastic



reload plastic



Swivel chair plastic | S0000-06bb-xyyy

Reference	Base	Wheels	Mechanism
S2815	black nylon	nylon/rubber	gas lift
S2816	polished aluminium	chrome/rubber	gas lift

* With upholstered seat, the plastic of the seat and backrest can only be in black or white.

Units 1 / Customer fabric 54 cm (seat) / Weight 6,60 Kg / Volume 0,17 m³



4-legs chair plastic | S0000-06bb-xyyy

Reference	Frame
S2817	grey
S2818	chrome
S2819	black

* With upholstered seat, the plastic of the seat and backrest can only be in black or white.

Units 2 / Customer fabric 108 cm (panel seat) / Weight 11,15 Kg / Volume 0,48 m³
Units 4 / Customer fabric 216 cm (panel seat) / Weight 22 Kg / Volume 0,48 m³



01 / White



02 / Black




18 / Red



20 / Green



22 / Grey



27 / Sea blue

Colour polypropylene (xx)

01	White
02	Black
18	Red
20	Green
22	Grey
27	Sea blue



reload plastic



Bench plastic | S0000-06bb-xyyy

Reference	Seats	Total number of boxes	Lenght	Weight	Volume
S2820	2	3	100 cm	12,9 Kg	0,17 m³
S2821	3	3	150 cm	19 Kg	0,25 m³
S2822	4	3	200 cm	25,2 Kg	0,25 m³
S2823	5	3	250 cm	32 Kg	0,26 m³
S2824	2+Table	3	150 cm	17,3 Kg	0,25 m³
S2825	3+Table	3	200 cm	23,6 Kg	0,25 m³
S2826	4+Table	3	250 cm	29,3 Kg	0,26 m³

* With upholstered seat, the plastic of the seat and backrest can only be in black or white.

Bench V set of legs

Reference	PAV01	PAV02	PAV03	PAV04	PAV05
Characteristics	Black steel leg/ black steel bar	Grey steel leg/ grey steel bar	Polished aluminium leg/black bar	Polished aluminium leg/grey bar	Black nylon leg/ black steel bar
Weight/Volume	7 Kg / 0,06 m³	7 Kg / 0,06 m³	3,2 Kg / 0,06 m³	3,2 Kg / 0,06 m³	5 Kg / 0,11 m³



VERY IMPORTANT!



The complete bench is composed of one of the Bench table references and one of the Bench set of legs table references.

Bench T set of legs

Reference	PAT06	PAT07	PAT08	PAT09
Characteristics	Black steel leg/ black steel bar	Grey steel leg/ grey steel bar	Black steel leg ground Widthr/black steel bar	Grey steel leg ground Widthr/grey steel bar
Weight/Volume	9,4 Kg / 0,06 m³	9,4 Kg / 0,06 m³	9,4 Kg / 0,06 m³	9,4 Kg / 0,06 m³



Benches accessories

Reference	Characteristics
S9216	USB Charger
PAT10	Connecting kit for black T-benches
PAT11	Connecting kit for grey T-benches



reload upholstered



reload upholstered



Swivel chair upholstered | S0000-06bb-xyyy

Reference	Base	Wheels	Mechanism
S2830	black nylon	nylon/rubber	gas lift
S2831	polished aluminium	chrome/rubber	gas lift

Units 1 / Customer fabric 94 cm (seat + back) / Weight 7 Kg / Volume 0,17 m³



4-legs chair upholstered | S0000-06bb-xyyy

Reference	Frame
S2832	grey
S2833	chrome
S2834	black

Units 2 / Customer fabric 188 cm (panel seat) / Weight 13 Kg / Volume 0,48 m³
Units 4 / Customer fabric 376 cm (panel seat) / Weight 24,50 Kg / Volume 0,48 m³



01 / White



02 / Black

Colour polypropylene (xx)	
01	White
02	Black



reload upholstered



Bench upholstered | S0000-06bb-xyxy

Reference	Seats	Total number of boxes	Lenght	Weight	Volume
S2835	2	3	100 cm	13,4 Kg	0,17 m³
S2836	3	3	150 cm	19,4 Kg	0,25 m³
S2837	4	3	200 cm	25,7 Kg	0,25 m³
S2838	5	3	250 cm	32,6 Kg	0,26 m³
S2839	2+Table	3	150 cm	17,8 Kg	0,25 m³
S2840	3+Table	3	200 cm	24,1 Kg	0,25 m³
S2841	4+Table	3	250 cm	29,8 Kg	0,26 m³

Bench V set of legs

Reference	PAV01	PAV02	PAV03	PAV04	PAV05
Characteristics	Black steel leg/ black steel bar	Grey steel leg/ grey steel bar	Polished aluminium leg/black bar	Polished aluminium leg/grey bar	Black nylon leg/ black steel bar
Weight/Volume	7 Kg / 0,06 m³	7 Kg / 0,06 m³	3,2 Kg / 0,06 m³	3,2 Kg / 0,06 m³	5 Kg / 0,11 m³



Bench T set of legs

Reference	PAT06	PAT07	PAT08	PAT09
Characteristics	Black steel leg/ black steel bar	Grey steel leg/ grey steel bar	Black steel leg ground Widthr/black steel bar	Grey steel leg ground Widthr/grey steel bar
Weight/Volume	9,4 Kg / 0,06 m³	9,4 Kg / 0,06 m³	9,4 Kg / 0,06 m³	9,4 Kg / 0,06 m³



Benchs accessories

Reference	Characteristics
S9216	USB Charger
PAT10	Connecting kit for black T-benches
PAT11	Connecting kit for grey T-benches

VERY IMPORTANT!

The complete bench is composed of one of the Bench table references and one of the Bench set of legs table references.



reload mesh



reload mesh



Swivel chair mesh | S0000-12bb-xyyy

Reference	Base	Wheels	Mechanism
S2845	black nylon	nylon/rubber	gas lift
S2846	polished aluminium	chrome/rubber	gas lift

* Plastic on the mesh model is always black.

Units 1 / Customer fabric 54 cm (seat) / Weight 6,60 Kg / Volume 0,17 m³



4-legs chair mesh | S0000-12bb-xyyy


Reference	Frame
S2847	Grey
S2848	chrome
S2849	Black

* Plastic on the mesh model is always black.

Units 2 / Customer fabric 108 cm (panel seat) / Weight 11,15 Kg / Volume 0,48 m³
Units 4 / Customer fabric 216 cm (panel seat) / Weight 22 Kg / Volume 0,48 m³




01 / White



02 / Black




09 / Purple



18 / Red



20 / Green



22 / Grey



27 / Sea blue

Backrest mesh colour (xx)	
01	White
02	Black
09	Purple
18	Red
20	Green
22	Grey
27	Sea blue



reload mesh

Bench mesh | S0000-12bb-xyyy



Reference	Seats	Total number of boxes	Lenght	Weight	Volume
S2850	2	3	100 cm	12,9 Kg	0,17 m³
S2851	3	3	150 cm	19 Kg	0,25 m³
S2852	4	3	200 cm	25,2 Kg	0,25 m³
S2853	5	3	250 cm	32 Kg	0,26 m³
S2854	2+Table	3	150 cm	17,3 Kg	0,25 m³
S2855	3+Table	3	200 cm	23,6 Kg	0,25 m³
S2856	4+Table	3	250 cm	29,3 Kg	0,26 m³

* Plastic on the mesh model is always black.

Bench V set of legs

Reference	PAV01	PAV02	PAV03	PAV04	PAV05
Characteristics	Black steel leg/ black steel bar	Grey steel leg/ grey steel bar	Polished aluminium leg/black bar	Polished aluminium leg/grey bar	Black nylon leg/ black steel bar
Weight/Volume	7 Kg / 0,06 m³	7 Kg / 0,06 m³	3,2 Kg / 0,06 m³	3,2 Kg / 0,06 m³	5 Kg / 0,11 m³



Bench T set of legs

Reference	PAT06	PAT07	PAT08	PAT09
Characteristics	Black steel leg/ black steel bar	Grey steel leg/ grey steel bar	Black steel leg ground Widthr/black steel bar	Grey steel leg ground Widthr/grey steel bar
Weight/Volume	9,4 Kg / 0,06 m³	9,4 Kg / 0,06 m³	9,4 Kg / 0,06 m³	9,4 Kg / 0,06 m³



Benches accessories

Reference	Characteristics
S9216	USB Charger
PAT10	Connecting kit for black T-benches
PAT11	Connecting kit for grey T-benches

VERY IMPORTANT!



The complete bench is composed of one of the Bench table references and one of the Bench set of legs table references.



re load arms

Arms for swivel chair and bench

Reference	Arm	Material	Arm rest
S2860	left arm	black aluminium	PAD black
S2861	right arm	black aluminium	PAD black
S2862	left arm	polished aluminium	PAD black
S2863	right arm	polished aluminium	PAD black
S2864	left arm	polished aluminium	PAD white
S2865	right arm	polished aluminium	PAD white

Arms for 4-legs chair

Reference	Arm	Material	Arm rest
S2870	pair of arms	nylon	
S2871	left arm	black aluminium	PAD black
S2872	right arm	black aluminium	PAD black
S2873	left arm	polished aluminium	PAD black
S2874	right arm	polished aluminium	PAD black
S2875	left arm	polished aluminium	PAD white
S2876	right arm	polished aluminium	PAD white




reload accessories



Accessories

Reference	Characteristics	Material
S2880	Left arm with anti-panic table	black aluminium
S2881	Right arm with anti-panic table	black aluminium
S2882	Left arm with anti-panic table	polished aluminium
S2883	Right arm with anti-panic table	polished aluminium
S2884	Union kit for chairs with arms	
S2885	Document rack	
S2546	Trolley for chairs	black



120kg Maximum weight

CERTIFICATES AND REGULATIONS
UNE EN 16139:2013



confident

Compact, stackable, warm and elegant. CONFIDENT combines with a multitude of different collections, playing with its forms and great variety of finishes, an exceptional guest chair.



c o n f i d e n t



138.

c o n f i d e n t





Upholstered backrest cantilever | S0000-06bb-02yy

Reference	Base	Arms
S2520	chrome skid	chrome+nylon
S2524	grey skid	grey+nylon
S2521	4 chrome legs	chrome+nylon
S2525	4 grey legs	grey+nylon

Units 2 / Customer fabric 146 cm / Weight 23 Kg / Volume 0,48 m³




Cantilever back mesh | S0000-12bb-xyyy

Reference	Base	Arms
S2522	chrome skid	chrome+nylon
S2526	grey skid	grey+nylon
S2523	4 chrome legs	chrome+nylon
S2527	4 grey legs	grey+nylon

Units 2 / Customer fabric 146 cm / Weight 23 Kg / Volume 0,48 m³









Backrest mesh colour (xx)	
01	White
02	Black



01 / White



02 / Black



c u s t o m

A visitor's chair with simple and clear lines that bring sobriety, simplicity and a touch of distinction to the spaces it occupies. Solid wood interior and upholstered exterior. Custom is a very practical solution for waiting areas.



c u s t o m



c u s t o m



c u s t o m



Swivel chair upholstered | S0000-00bb-00yy

Reference	Base	Wheels	Mechanism
S0251	5-radius polished aluminium	chrome/rubber	balance
S0252	5-radius polished aluminium	chrome/rubber	gas lift
S0253	4-radius polished aluminium	gliders	revolving
S0254	4-radius white aluminium	gliders	revolving
S0255	4-radius black aluminium	gliders	revolving
S0256	4-radius polished aluminium	gliders	balance

Units 1 / Customer fabric 116 cm / Weight 16,50 Kg / Volume 0,25 m³



Swivel chair wood | S0000-aa00-xx00

Reference	Base	Wheels	Mechanism
S0273	5-radius polished aluminium	chrome/rubber	balance
S0274	5-radius polished aluminium	chrome/rubber	gas lift
S0275	4-radius polished aluminium	gliders	revolving
S0276	4-radius white aluminium	gliders	revolving
S0277	4-radius black aluminium	gliders	revolving
S0278	4-radius polished aluminium	gliders	balance

Units 1 / Weight 16,50 Kg / Volume 0,25 m³

Customer fabric (bb = Upholstery group 01)	
	seat
Fabric	70 cm



Upholstered accessories | S0000-00bb-00yy

Reference	Description	Volume
S0299	panel seat upholstered	0,06 m³



Cantilever upholstered | S0000-00bb-00yy

Reference	Frame	Arms
S2510	chrome skid	chrome+nylon
S2514	black skid	black+nylon
S2512	4 chrome legs	chrome+nylon
S2515	4 black legs	black+nylon

Units 2 / Customer fabric 116 cm / Weight 23 Kg / Volume 0,48 m³



c u s t o m



Cantilever wood | S0000-aa00-xx00

Reference	Frame	Arms
S2511	chrome skid	chrome+nylon
S2508	black skid	black+nylon
S2513	4 chrome legs	chrome+nylon
S2509	4 black legs	black+nylon

Units 2 / Weight 23 Kg / Volume 0,48 m³

Lacquered wood (aa=13)	Colour wood (xx)	
	01	White
	02	Black
Natural wood (aa=14)	Colour wood (xx)	
	03	Oak
	04	Wengue



Skid upholstered | S0000-00bb-00yy

Reference	Frame
S2516	chrome
S2517	white
S2518	black

*Available in the 5 foam upholstery finishes on page 349.

Units 2 / Customer fabric 116 cm / Weight 23 Kg / Volume 0,48 m³



Skid wood | S0000-aa00-xx00

Reference	Frame
S0270	chrome
S0271	white
S0272	black

Units 2 / Weight 23 Kg / Volume 0,48 m³



01 / White




02 / Black



03 / Oak



04 / Wengue



120kg
Maximum weight



c u s t o m

Bench upholstered | S0000-00bb-00yy



Reference	Seats	Total number of boxes	Lenght	Weight	Volume
S0260	2	3	100 cm	12,5 Kg	0,17 m³
S0261	3	3	150 cm	18,7 Kg	0,25 m³
S0262	4	3	200 cm	25,2 Kg	0,25 m³
S0263	5	3	250 cm	31,3 Kg	0,26 m³
S0264	2+Table	3	150 cm	17 Kg	0,25 m³
S0265	3+Table	3	200 cm	23,4 Kg	0,25 m³
S0266	4+Table	3	250 cm	29,5 Kg	0,26 m³

*Available in the 5 foam upholstery finishes on page 349.

Bench wood | S0000-aa00-xx00



Reference	Seats	Total number of boxes	Lenght	Weight	Volume
S0290	2	3	100 cm	11,9 Kg	0,17 m³
S0291	3	3	150 cm	17,8 Kg	0,25 m³
S0292	4	3	200 cm	24 Kg	0,25 m³
S0293	5	3	250 cm	29,8 Kg	0,26 m³
S0294	2+Table	3	150 cm	16,3 Kg	0,25 m³
S0295	3+Table	3	200 cm	22,5 Kg	0,25 m³
S0296	4+Table	3	250 cm	28,3 Kg	0,26 m³

Bench V set of legs

Reference	PAV01	PAV02	PAV03	PAV04	PAV05
Characteristics	Black steel leg/ black steel bar	Grey steel leg/ grey steel bar	Polished aluminium leg/black bar	Polished aluminium leg/grey bar	Black nylon leg/ black steel bar
Weight/Volume	7 Kg / 0,06 m³	7 Kg / 0,06 m³	3,2 Kg / 0,06 m³	3,2 Kg / 0,06 m³	5 Kg / 0,11 m³



VERY IMPORTANT!



The complete bench is composed of one of the Bench table references and one of the Bench set of legs table references.

Bench T set of legs

Reference	PAT06	PAT07	PAT08	PAT09
Characteristics	Black steel leg/ black steel bar	Grey steel leg/ grey steel bar	Black steel leg ground Widthr/black steel bar	Grey steel leg ground Widthr/grey steel bar
Weight/Volume	9,4 Kg / 0,06 m³	9,4 Kg / 0,06 m³	9,4 Kg / 0,06 m³	9,4 Kg / 0,06 m³



Benches accessories

Reference	Characteristics
S9216	USB Charger
PAT10	Connecting kit for black T-benches
PAT11	Connecting kit for grey T-benches



k i n d

The KIND is an example of a product adapted to new times:
light, versatile but effective, technical, totally prepared for the
day to day.



k i n d



k i n d



k i n d



Swivel chair mesh | S0000-12bb-xyyy

Reference	Base	Wheels	Arms	Mechanism
S2964	5-radius black nylon	nylon/rubber		gas lift
S2965	5-radius polished aluminium	chrome/rubber		gas lift
S2966	4-radius polished aluminium	gliders		revolving
S2967	5-radius black nylon	nylon/rubber	fixed	gas lift
S2968	5-radius polished aluminium	chrome/rubber	fixed	gas lift
S2969	4-radius polished aluminium	gliders	fixed	revolving

Units 1 / Customer fabric 77 cm / Weight 14 Kg / Volume 0,25 m³



Swivel chair upholstered | S0000-06bb-02yy

Reference	Base	Wheels	Arms	Mechanism
S2954	5-radius black nylon	nylon/rubber		gas lift
S2955	5-radius polished aluminium	chrome/rubber		gas lift
S2956	4-radius polished aluminium	gliders		revolving
S2957	5-radius black nylon	nylon/rubber	fixed	gas lift
S2958	5-radius polished aluminium	chrome/rubber	fixed	gas lift
S2959	4-radius polished aluminium	gliders	fixed	revolving

Units 1 / Customer fabric 77 cm / Weight 14 Kg / Volume 0,25 m³





Cantilever skid upholstered | S0000-06bb-02yy

Reference	Base	Arms
S2950	chrome skid	
S2951	chrome skid	fixed

Units 2 / Customer fabric 154 cm / Weight 23 Kg / Volume 0,48 m³



Cantilever skid mesh | S0000-12bb-xyyy

Reference	Base	Arms
S2960	chrome skid	
S2961	chrome skid	fixed

Units 2 / Customer fabric 154 cm / Weight 23 Kg / Volume 0,48 m³



Cantilever 4 legs upholstered | S0000-06bb-02yy

Reference	Base	Arms
S2952	4 chrome legs	
S2953	4 chrome legs	fixed

Units 2 / Customer fabric 154 cm / Weight 23 Kg / Volume 0,48 m³



Cantilever 4 legs mesh | S0000-12bb-xyyy

Reference	Base	Arms
S2962	4 chrome legs	
S2963	4 chrome legs	fixed

Units 2 / Customer fabric 154 cm / Weight 23 Kg / Volume 0,48 m³




kind

Backrest mesh colour (xx)	
01	White
02	Black
09	Purple
18	Red
20	Green
22	Grey
27	Sea blue



01 / White



02 / Black




09 / Purple



18 / Red











20 / Green



22 / Grey




27 / Sea blue



 120kg Maximum weight

CERTIFICATES AND REGULATIONS
UNE EN 16139:2013





Light and with simple lines, this is ARI, a conference chair intended for multifunctional use both indoors and outdoors.



a r i







4-legs chair | S0000-0600-xx00

Reference	Colour frame
S2530	chrome
S2531	grey

Units 2 / Weight 9 Kg / Volume 0,25 m³
Units 5 / Weight 22,5 Kg / Volume 0,43 m³



Chair skid | S0000-0600-xx00

Reference	Colour frame
S2542	chrome
S2543	grey

Units 2 / Weight 9 Kg / Volume 0,40 m³
Units 5 / Weight 22,5 Kg / Volume 0,48 m³

Accessories

Reference	Description	Colour	Weight	Volume
S2544	Kt unión skid 10 Units	chrome		
S2546	Trolley for chairs	black	33,80 Kg	0,025 m³



Colour polypropylene (xx)	
01	White
02	Black
05	Blue
06	Orange
16	Green
17	Red
22	Grey
24	Chocolate




01 / White



02 / Black



05 / Blue



06 / Orange



16 / Green












17 / Red



22 / Grey



24 / Chocolate



Maximum weight





Bench | S0000-0600-xx00

Reference	Seats	Total number of boxes	Lenght	Weight	Volume
S2532	2	3	100 cm	10,2 Kg	0,17 m³
S2533	3	3	150 cm	16,2 Kg	0,25 m³
S2534	4	3	200 cm	22,5 Kg	0,25 m³
S2535	5	3	250 cm	29,5 Kg	0,26 m³
S2536	2+Table	3	150 cm	14,6 Kg	0,25 m³
S2537	3+Table	3	200 cm	20,9 Kg	0,25 m³
S2538	4+Table	3	250 cm	26,6 Kg	0,26 m³

Bench V set of legs

Reference	PAV01	PAV02	PAV03	PAV04	PAV05
Characteristics	Black steel leg/ black steel bar	Grey steel leg/ grey steel bar	Polished aluminium leg/black bar	Polished aluminium leg/grey bar	Black nylon leg/ black steel bar
Weight/Volume	7 Kg / 0,06 m³	7 Kg / 0,06 m³	3,2 Kg / 0,06 m³	3,2 Kg / 0,06 m³	5 Kg / 0,11 m³



Bench T set of legs

Reference	PAT06	PAT07	PAT08	PAT09
Characteristics	Black steel leg/ black steel bar	Grey steel leg/ grey steel bar	Black steel leg ground Widthr/black steel bar	Grey steel leg ground Widthr/grey steel bar
Weight/Volume	9,4 Kg / 0,06 m³	9,4 Kg / 0,06 m³	9,4 Kg / 0,06 m³	9,4 Kg / 0,06 m³



Benchs accessories

Reference	Characteristics
S9216	USB Charger
PAT10	Connecting kit for black T-benches
PAT11	Connecting kit for grey T-benches





The evolution of the framework. The new and special design of the seat, and the double perforated backrest give a strong and determined character to a chair that makes comfort its strong point.



f e e l







4-legs chair | S0000-0600-xx00

Reference	Base
S2900	grey RAL 7003
S2901	black
S2902	white
S2903	chrome

Units 2 / Weight 11,50 Kg / Volume 0,43 m³
Units 5 / Weight 28,75Kg / Volume 0,43 m³



4-legs chair arms | S0000-0600-xx00

Reference	Base	Arms
S2904	grey RAL 7003	fixed
S2905	black	fixed
S2906	white	fixed
S2907	chrome	fixed

Units 2 / Weight 12 Kg / Volume 0,43 m³
Units 4 / Weight 23 Kg / Volume 0,43 m³



Stool | S0000-0600-xx00

Reference	Base
S2910	chrome

Units 2 / Weight 17,50 Kg / Volume 0,48 m³



Chair skid | S0000-0600-xx00

Reference	Base	Arms
S2908	chrome	
S2909	chrome	fixed

Units 2 / Weight 14 Kg / Volume 0,48 m³
Units 5 / Weight 35 Kg / Volume 0,48 m³



Grey paint
RAL 7003



Swivel | S0000-0600-xx00

Reference	Base	Wheels	Mechanism
S2911	black nylon	nylon/rubber	gas lift
S2912	polished aluminium	chrome/rubber	gas lift

Units 1 / Weight 7 Kg / Volume 0,17 m³

Customer fabric	(bb = Upholstery group 01)
	Panel seat
Fabric	60 cm



Upholstered accessories | S0000-06bb-xyyy

Reference	Description	Volume
S2942	panel upholstered seat	0,06 m³





Bench | S0000-0600-xx00

Reference	Seats	Total number of boxes	Lenght	Weight	Volume
S2920	2	3	100 cm	10 Kg	0,17 m³
S2921	3	3	150 cm	16 Kg	0,25 m³
S2922	4	3	200 cm	22,3 Kg	0,25 m³
S2923	5	3	250 cm	29,2 Kg	0,26 m³
S2924	2+Table	3	150 cm	14,4 Kg	0,25 m³
S2925	3+Table	3	200 cm	20,7 Kg	0,25 m³
S2926	4+Table	3	250 cm	26,4 Kg	0,26 m³

Bench V set of legs

Reference	PAV01	PAV02	PAV03	PAV04	PAV05
Characteristics	Black steel leg/ black steel bar	Grey steel leg/ grey steel bar	Polished aluminium leg/black bar	Polished aluminium leg/grey bar	Black nylon leg/ black steel bar
Weight/Volume	7 Kg / 0,06 m³	7 Kg / 0,06 m³	3,2 Kg / 0,06 m³	3,2 Kg / 0,06 m³	5 Kg / 0,11 m³



Bench T set of legs

Reference	PAT06	PAT07	PAT08	PAT09
Characteristics	Black steel leg/ black steel bar	Grey steel leg/ grey steel bar	Black steel leg ground Widthr/black steel bar	Grey steel leg ground Widthr/grey steel bar
Weight/Volume	9,4 Kg / 0,06 m³	9,4 Kg / 0,06 m³	9,4 Kg / 0,06 m³	9,4 Kg / 0,06 m³



Benches accessories

Reference	Characteristics
S9216	USB Charger
PAT10	Connecting kit for black T-benches
PAT11	Connecting kit for grey T-benches



Accessories

Reference	Description	Finishes	Units	Weight	Volume
S2938	Folding metallic connection kit	chrome	1	0,15 Kg	0,002 m³
S2939	Tipped connection kit for skid chair (tetris)	nylon	1	0,05 Kg	0,002 m³
S2940	Floor fixing glider for skid chair	nylon	1	0,05 Kg	0,002 m³
S2546	Trolley for chairs	black	370	33,80 Kg	0,025 m³

Colour polypropylene (xx)	
01	White
02	Black
06	Orange
16	Green
17	Red
22	Grey
28	Sand
32	Blue RAL 5014



01 / White



02 / Black



06 / Orange



16 / Green



17 / Red

















22 / Grey
RAL 7003



28 / Sand



32 / Blue
RAL 5014



CERTIFICATES AND REGULATIONS
UNE EN 16139:2013



b o s s

BOSS combines traditional materials and technology to offer total comfort, a luxury for the senses.



b o s s



b o s s



b o s s





High chair | S0000-00bb-00yy

Reference	Base	Wheels	Arms	Mechanism
S0100	polished aluminium	chrome/rubber	chrome upholstered	advanced tilting

Units 1 / Customer fabric 193 cm / Weight 23 Kg / Volume 0,23 m³



Low chair | S0000-00bb-00yy

Reference	Base	Wheels	Arms	Mechanism
S0110	polished aluminium	chrome/rubber	chrome upholstered	advanced tilting
S0115	polished aluminium	chrome/rubber	chrome upholstered	gas lift

Units 1 / Customer fabric 187 cm / Weight 21,50 Kg / Volume 0,23 m³




Cantilever | S0000-00bb-00yy

Reference	Skid whith arms
S0121	chrome

Units 1 / Customer fabric 187 cm / Weight 17,50 Kg / Volume 0,50 m³

Reference	Characteristics
A004	Semi-assembled chair delivery
A006	Assembled chair delivery



120_{kg} Maximum weight

CERTIFICATES AND REGULATIONS

UNE EN 1335:2001 parts 1, 2 y 3



n e o +

Minimalism and purity of lines; Neo+ expresses avantgarde and technology through its materials and unique construction. It guarantees high performance and comfort. It is an executive chair, the result of a substantial improvement in the ergonomics of its backrest.



n e o +



neo +

High chair without arms | S0000-00bb-00yy



Reference	Base	Hollow EMILSIDER Wheels	Mechanism
S0603	polished aluminium	hollow/rubber	synchronised
S0605	black nylon	hollow/rubber	synchronised
S0607	polished aluminium	hollow/rubber	sliding system
S0608	black nylon	hollow/rubber	sliding system

Units 1 / Customer fabric 203 cm / Weight 24 Kg / Volume 0,26 m³

Low chair without arms | S0000-00bb-00yy



Reference	Base	Hollow EMILSIDER Wheels	Mechanism
S0613	polished aluminium	hollow/rubber	synchronised
S0615	black nylon	hollow/rubber	synchronised
S0616	polished aluminium	hollow/rubber	sliding system
S0617	black nylon	hollow/rubber	sliding system

Units 1 / Customer fabric 194 cm / Weight 22 Kg / Volume 0,21 m³

Optional arms

Reference	BR02	BR23	BR03	BR04	BR09	BR10	BR25 (A)	BR24	BR20			
Upholstery group (bb)									01	02	03	04
Characteristics	1D	1D	3D	4D	4D	2D	4D	Fixed	fixed	fixed	fixed	fixed

(A) Internal steel structure.




Reference	Characteristics
A004	Semi-assembled chair delivery
A006	Assembled chair delivery

Cantilever | S0000-00bb-00yy

Reference	Skid	Arms
S0620	chrome	polyurethane

Units 1 / Customer fabric 194 cm / Weight 16 Kg / Volume 0,33 m³

Units 2 / Customer fabric 388 cm / Weight 33 Kg / Volume 0,35 m³



120kg
Maximum weight

CERTIFICATES AND REGULATIONS
UNE EN 1335:2001 parts 1, 2 y 3



t r i n i t y

It represents the essence of the 21st century, the welcome of the future to come. Enveloping lines and curves that envelop the strength of the steel and the softness of the finishes. TRINITY is the balance between form and material.



trinity

The new black finish of the structure gives the collection an elegance that, combined with its natural captivating force, captures you from the very first moment.



High chair black frame | S0000-00bb-00yy

Reference	Base	Wheels	Arms	Mechanism
S3550	black aluminium	nylon/rubber	black upholstered	advanced tilting
S3555	black aluminium	nylon/rubber	black upholstered	gas lift
S3557	black aluminium	nylon/rubber	black upholstered	balance

Units 1 / Customer fabric 185 cm / Weight 21 Kg / Volume 0,23 m³



Low chair black frame | S0000-00bb-00yy

Reference	Base	Wheels	Arms	Mechanism
S3551	black aluminium	nylon/rubber	black upholstered	advanced tilting
S3556	black aluminium	nylon/rubber	black upholstered	gas lift
S3558	black aluminium	nylon/rubber	black upholstered	balance

Units 1 / Customer fabric 123 cm / Weight 19 Kg / Volume 0,23 m³



Cantilever black frame | S0000-00bb-00yy

Reference	Base	Arms	Mechanism
S3552	skid	black upholstered	
S3553	4-radius black aluminium	black upholstered	revolving
S3554	4-radius black aluminium	black upholstered	gas lift
S3559	4-radius black aluminium	black upholstered	balance

Units 1 (4-radius) / Customer fabric 123 cm / Weight 17 Kg / Volume 0,23 m³
Units 2 (Skid) / Customer fabric 246 cm / Weight 34 Kg / Volume 0,48 m³





High chair chrome frame | S0000-00bb-00yy

Reference	Base	Wheels	Arms	Mechanism
S2550	polished aluminium	chrome/rubber	upholstered chrome	advanced tilting
S2555	polished aluminium	chrome/rubber	upholstered chrome	gas lift
S2557	polished aluminium	chrome/rubber	upholstered chrome	balance

Units 1 / Customer fabric 185 cm / Weight 21 Kg / Volume 0,23 m³



Low chair chrome frame | S0000-00bb-00yy

Reference	Base	Wheels	Arms	Mechanism
S2551	polished aluminium	chrome/rubber	upholstered chrome	advanced tilting
S2556	polished aluminium	chrome/rubber	upholstered chrome	gas lift
S2558	polished aluminium	chrome/rubber	upholstered chrome	balance

Units 1 / Customer fabric 123 cm / Weight 19 Kg / Volume 0,23 m³














Cantilever chrome frame | S0000-00bb-00yy

Reference	Base	Arms	Mechanism
S2552	skid	upholstered chrome	
S2553	4-radius polished aluminium	upholstered chrome	revolving
S2554	4-radius polished aluminium	upholstered chrome	gas lift
S2559	4-radius polished aluminium	upholstered chrome	balance

Units 1 (4-radius) / Customer fabric 123 cm / Weight 17 Kg / Volume 0,23 m³
Units 2 / Customer fabric 246 cm / Weight 34 Kg / Volume 0,48 m³

Reference	Characteristics
A004	Semi-assembled chair delivery
A006	Assembled chair delivery





A highly functional directional chair. Enveloping, sinuous, efficient and extremely comfortable. An infinite choice of combinations and finishes to find the perfect posture. Its new seat with viscoelastic base gives it a unique and exclusive comfort.



01.

BACKREST

Adjustable in height. Internal structure in 15 mm thick beech plywood, covered with fireproof injected polyurethane foam of 60 kg/m³ high density.

02.

GAS LIFT COLUMN

Tested for users up to 120 kg, black or chromed depending on the base.

03.

WHEELS

Double Desmopan rubber wheels 65 mm diameter.

The base connection bolt has a circular nylon ring to prevent noise when used on metal or aluminum bases.

04.

ARMS (OPTIONAL)

It offers 9 different armrest models, ranging from fixed to 4D armrests.

05.

SEAT

Black injected polypropylene exterior. Interior made of beech plywood, covered with fireproof high density polyurethane foam of 60 kg/m³.

Seat composed of a double density foam injection and a viscoelastic top layer.

06.

MECHANISM

Auto-weight synchro control and seat slide.

The synchro sliding system executes a synchronized tilting movement of the seat and backrest about the central axis of the chair. That is, the degree of backrest and seat tilt can be adjusted together.

07.

BASES

Polished aluminium, 70 cm diameter or nylon, 68 cm diameter.



x | +



185.



186.

x | +



High chair without arms | S0000-00bb-00yy

Reference	Base	Wheels	Mechanism
S2661	polished aluminium	chrome/rubber	sliding system
S2663	black nylon	nylon/rubber	sliding system

Units 1 / Customer fabric 160 cm/ Weight 23 Kg / Volume 0,26 m³



Optional arms

Reference	BR02	BR23	BR03	BR04	BR06	BR09	BR10	BR25 (A)	BR24
Characteristics	1D	1D	3D	4D	1D	4D	2D	4D	fixed

(A) Internal steel structure.



Reference	Characteristics
A004	Semi-assembled chair delivery
A006	Assembled chair delivery



 120kg Maximum weight



a c e r +

Performance and cutting edge design, Acer+ is a combination of quality materials that make perfectly neat edges to provide ergonomics and functionality. Durable, but comfortable.



a c e r +



a c e r +





High chair | S0000-12bb-xyyy

Reference	Base	Wheels	Arms	Mechanism
S0200	5-radius polished aluminium	chrome/rubber	aluminium	advanced tilting
S0201	4-radius polished aluminium	gliders	aluminium	revolving
S0202	5-radius polished aluminium	chrome/rubber	aluminium	gas lift

* Only proceeds with mesh option.

Units 1 / Customer fabric 65 cm / Weight 20,30 Kg / Volume 0,23 m³



Low chair | S0000-12bb-xyyy

Reference	Base	Wheels	Arms	Mechanism
S0210	5-radius polished aluminium	chrome/rubber	aluminium	advanced tilting
S0211	4-radius polished aluminium	gliders	aluminium	revolving
S0212	5-radius polished aluminium	chrome/rubber	aluminium	gas lift

* Only proceeds with mesh option.

Units 1 / Customer fabric 65 cm / Weight 19 Kg / Volume 0,23 m³



Cantilever | S0000-12bb-xyyy


Reference	Skid	Arms
S0220	chrome	aluminium

* Only proceeds with mesh option.

Units 1 / Customer fabric 65 cm / Weight 15 Kg / Volume 0,25 m³
Units 2 / Customer fabric 130 cm / Weight 30 Kg / Volume 0,35 m³

Reference	Characteristics
A004	Semi-assembled chair delivery
A006	Assembled chair delivery


Mesh colour (xx)	
01	White
02	Black
22	Grey




01 / White



02 / Black



22 / Grey



 120kg Maximum weight

CERTIFICATES AND REGULATIONS
UNE EN 1335:2001 parts 2 y 3



x - l i g h t

Like DILE, the X-LIGHT represents renewal and what it means to be a chair in a working environment.





It clearly speaks to the present from the future, bringing innovation from all angles.



x - l i g h t



x - l i g h t



x - l i g h t



High chair | S0000-0612-xyyy

Reference	Base	Hollow EMILSIDER Wheels	Arms	Mechanism
S2600	polished aluminium	hollow/rubber	nylon	advanced tilting
S2601	white nylon	hollow/rubber	nylon	advanced tilting
S2602	black nylon	hollow/rubber	nylon	advanced tilting
S2603	polished aluminium	hollow/rubber	nylon	gas lift
S2604	white nylon	hollow/rubber	nylon	gas lift
S2605	black nylon	hollow/rubber	nylon	gas lift

Units 1 / Weight 14,50 Kg / Volume 0,23 m³



Low chair | S0000-0612-xyyy

Reference	Base	Hollow EMILSIDER Wheels	Arms	Mechanism
S2606	polished aluminium	hollow/rubber	nylon	advanced tilting
S2607	white nylon	hollow/rubber	nylon	advanced tilting
S2608	black nylon	hollow/rubber	nylon	advanced tilting
S2609	polished aluminium	hollow/rubber	nylon	gas lift
S2610	white nylon	hollow/rubber	nylon	gas lift
S2611	black nylon	hollow/rubber	nylon	gas lift

Units 1 / Weight 13,50 Kg / Volume 0,23 m³



Cantilever | S0000-0612-xyyy

Reference	Base	Gliders	Arms	Mechanism
S2612	4-radius polished aluminium	gliders	nylon	revolving
S2613	4-radius white aluminium	gliders	nylon	revolving
S2614	4-radius black aluminium	gliders	nylon	revolving
S2615	4-radius polished aluminium	gliders	nylon	gas lift
S2616	4-radius white aluminium	gliders	nylon	gas lift
S2617	4-radius black aluminium	gliders	nylon	gas lift

Units 1 / Weight 12,30 Kg / Volume 0,25 m³


Colour Frame (xx)	
01	White
02	Black

Reference	Characteristics
A004	Semi-assembled chair delivery
A006	Assembled chair delivery


Mesh colour (yy)	
01	White
02	Black
18	Red
22	Grey
27	Sea blue



01 / White




02 / Black



18 / Red



22 / Grey



27 / Sea blue



CERTIFICATES AND REGULATIONS

UNE EN 1335:2001 parts 1, 2 y 3



a i t a

Designed by Aitor García de Vicuña, the AITA Designed is a balance between surroundings and timeless aesthetic. It is a fit for everyone, a solution to the demands of new architectures and spaces with soul.





a i t a

AITA is the fruit of research and reflection, giving this piece a transverse view, thinking about different environments and needs, looking at moments, and seeking harmony.



200.

a i t a



a i t a



a i t a





High headrest chair | S0000-00bb-00yy

Reference	Base	Hollow EMILSIDER Wheels	Arms	Mechanism
S1930	polished aluminium	hollow/rubber	upholstered	advanced tilting
S1931	black nylon	hollow/rubber	upholstered	advanced tilting
S1954	polished aluminium	hollow/rubber	upholstered	balance

Units 1 / Customer fabric 246 cm / Weight 23 Kg / Volume 0,43 m³



High chair | S0000-00bb-00yy

Reference	Base	Hollow EMILSIDER Wheels	Arms	Mechanism
S1932	polished aluminium	hollow/rubber	upholstered	advanced tilting
S1933	black nylon	hollow/rubber	upholstered	advanced tilting
S1955	polished aluminium	hollow/rubber	upholstered	balance

Units 1 / Customer fabric 246 cm / Weight 21 Kg / Volume 0,25 m³



Low chair | S0000-00bb-00yy

Reference	Base	Hollow EMILSIDER Wheels	Arms	Mechanism
S1934	polished aluminium	hollow/rubber	upholstered	advanced tilting
S1935	black nylon	hollow/rubber	upholstered	advanced tilting
S1956	polished aluminium	hollow/rubber	upholstered	balance

Units 1 / Customer fabric 201 cm / Weight 19 Kg / Volume 0,25 m³





High chair without base | S0000-00bb-00yy

Reference	Total number of boxes
S3938	1

Units 1 / Customer fabric 246 cm / Weight 19 Kg / Volume 0,25 m³



Low chair without base | S0000-00bb-00yy

Reference	Total number of boxes
S3940	1

Units 1 / Customer fabric 201 cm / Weight 18 Kg / Volume 0,25 m³

Bases

Reference	BA18	BA19	BA20	BA21	BA22	BA23	BA24	BA25
Characteristics	4 legs ash wood	Chromed steel skid	White steel skid	Black steel skid	white nylon 4-radius pyramidal base	black nylon 4-radius pyramidal base	graphite nylon 4-radius pyramidal base	white nylon 4-radius pyramidal base
Gliders					wheels	wheels	wheels	gliders
Mechanism					swivel	swivel	swivel	swivel



Reference	BA26	BA27	BA28	BA29	BA30	BA31	BA32	BA33
Characteristics	black nylon 4-radius pyramidal base	graphite nylon 4-radius pyramidal base	4-radius polished aluminium	4-radius black aluminium	4-radius white aluminium	4-radius polished aluminium	4-radius black aluminium	4-radius white aluminium
Gliders	gliders	gliders	gliders	gliders	gliders	gliders	gliders	gliders
Mechanism	swivel	swivel	gas lift	gas lift	gas lift	revolving	revolving	revolving



Reference	BA34	BA35	BA36	BA37	BA38	BA39	BA40
Characteristics	4-radius polished aluminium	4-radius black aluminium	4-radius white aluminium	X structure black steel	X structure white steel	4 conical legs black steel	4 conical legs white steel
Gliders	gliders	gliders	gliders	gliders	gliders	gliders	gliders
Mechanism	balance	balance	balance				



VERY IMPORTANT!














The complete chair is composed of one of the High/low chair table references and one of the Bases table references.




Low table

Reference	Base	Description
T1850	4 conical legs chromed steel	square 50 X 50
T3851	4 conical legs black steel	square 50 X 50
T1852	3 conical legs chromed steel	triangular 50 X 50
T3853	3 conical legs black steel	triangular 50 X 50

Units 1 / Weight 10 Kg / Volume 0,25 m³





 120kg Maximum weight

CERTIFICATES AND REGULATIONS
UNE EN 16139:2013



a n a k

ANAK sublimates any space in which it is installed. A professional solution for soft seating for groups in corporate and contract spaces that gives personality the environment in which it sits. A very personal and harmonic design, with formal strength in its straight and curved lines.



a n a k



a n a k



VERY IMPORTANT!

The complete chair is composed of one of the High/low chair table references and one of the Bases table references.



High chair without base | S0000-00bb-00yy

Reference	Total number of boxes
S4800	2

Units 1 / Customer fabric 353 cm / Weight 19 Kg / Volume 0,59 m³



Low chair without base | S0000-00bb-00yy

Reference	Total number of boxes
S4805	2

Units 1 / Customer fabric 305 cm / Weight 17,5 Kg / Volume 0,52 m³


Bases

Reference	BA12	BA13	BA14	BA15	BA16	BA17
Characteristics	Swivel flat square chromed steel	Swivel flat square black steel	Revolving flat square chromed steel	Revolving flat square black steel	Frame X chromed steel	Frame X black steel
Weight/Volume	16 Kg / 0,13 m³	16 Kg / 0,13 m³	16 Kg / 0,13 m³	16 Kg / 0,13 m³	6 Kg / 0,12 m³	6 Kg / 0,12 m³




Reference	BA05	BA06	BA07	BA08	BA11
Characteristics	Swivel 4-radius polished aluminium	Swivel 4-radius black aluminium	Revolving 4-radius polished aluminium	Revolving 4-radius black aluminium	Swivel 4-radius wood
Weight/Volume	4,5 Kg / 0,12 m³	4,5 Kg / 0,12 m³	4,5 Kg / 0,12 m³	4,5 Kg / 0,12 m³	4,5 Kg / 0,12 m³





Accessories

Reference	Characteristics
S2810	Chrome-plated armrests accessory for white phenolic sliding table
S2811	Chrome-plated armrests accessory for black phenolic sliding table
S2812	Black armrests accessory for white phenolic sliding table
S2813	Black armrests accessory for black phenolic sliding table



 120kg Maximum weight

CERTIFICATES AND REGULATIONS
UNE EN 16139:2013



c a l m a

The Calma, designed by Rafa Ortega, is a range of chairs and armchairs for collective use, with a timeless design and great visual impact. The Calma is simple, close and generous.





c a l m a



c a l m a



Cantilever | S0000-0700-xx00

Reference	Skid	Arms
S1204	white aluminium	fixed white aluminium

Units 1 / Weight 20 Kg / Volume 0,23 m³



Square base chair and 4-radius | S0000-0700-xx00

Reference	Base	Arms	Mechanism
S1200	square white steel		revolving
S1201	4-radius white aluminium		revolving
S1202	square white steel	fixed white aluminium	revolving
S1203	4-radius white aluminium	fixed white aluminium	revolving

(without arms) Units 1 / Weight 23 Kg / Volume 0,25 m³

(with arms) Units 1 / Weight 25 Kg / Volume 0,33 m³




01 / White



02 / Black



12 / Grey



17 / Red cauldren



24 / Chocolate









Colour elastomer (xx)	
01	White
02	Black
12	Grey
17	Red cauldren
24	Chocolate

PANTONE personalised colour
Minimum order of 40 Units.



Bench | S0000-0700-xx00

Reference	Seats	Frame	Lenght	Weight	Volume
S1220	2	white steel	100 cm	42 Kg	0,50 m³
S1222	3	white steel	150 cm	56 Kg	0,60 m³
S1224	4	white steel	200 cm	70 Kg	0,60 m³
S1226	2 side tables	white steel	40 cm (x2)	17 Kg	0,04 m³



Maximum weight





The CIRCLE collection from DILE is inspired by the boldness of the 60s and 70s, but with a contemporary touch.

These shapes catch immediately the attention and convert any space into a central element.

DILE's solution to a multitude of needs.



c i r c l e



circle



c i r c l e



circle

VERY IMPORTANT!

The complete chair is composed of one of the Chair table references and one of the Bases table references.



Chair without base | S0000-00bb-00yy

Reference	Total number of boxes
S3745	2









Units 1 / Customer fabric 290 cm / Weight 13 Kg / Volume 0,35 m³

Bases

Reference	BA01	BA02	BA03	BA04	BA09	BA10
Characteristics	Swivel flat circular chromed steel	Swivel flat circular black steel	Revolving flat circular chromed steel	Revolving flat circular black steel	Frame X chromed steel	Frame X black steel
Weight/Volume	19 Kg / 0,13 m³	19 Kg / 0,13 m³	19 Kg / 0,13 m³	19 Kg / 0,13 m³	6 Kg / 0,17 m³	6 Kg / 0,17 m³



Reference	BA05	BA06	BA07	BA08	BA11
Characteristics	Swivel 4-radius polished aluminium	Swivel 4-radius black aluminium	Revolving 4-radius polished aluminium	Revolving 4-radius black aluminium	Swivel 4-radius wood
Weight/Volume	4,5 Kg / 0,12 m³	4,5 Kg / 0,12 m³	4,5 Kg / 0,12 m³	4,5 Kg / 0,12 m³	4,5 Kg / 0,12 m³



Maximum weight



m e d u s a

Light, Colour, fun, joy and sea define its Mediterranean spirit. Medusa was created from the polyhedral and hypnotic essence of the mare nostrum, where shapes and textures evoke a seascape. Designed to feel free and enjoy every space.



m e d u s a



m e d u s a



m e d u s a



m e d u s a



m e d u s a



Stackable seat | S0000-aabb-xxyy

Reference	Description	Accessories included	Weight	Volume
S3000	stackable seat	fixed gliders	8,9 Kg	0,13m³
S3005	stackable seat	wheels	8,9 Kg	0,13m³
F9000	complete interchangeable cover		0,4 Kg	0,018m³






Removable cover

Accessories

Reference	Description	Colour	Units	Volume
S9116	rubber wheels (with threaded bolt) 36mm	nylon/rubber	5	0,002m³
S9117	fixed gliders	graphite	5	0,001m³

Customer fabric	
stackable seat	110 cm




VERY IMPORTANT!

- One-colour or two-tone upholstery can be choose.
- Upholstery aa and bb must be of the same color.

140kg
Maximum weight

s p e r a

SPERA, a design by Rafa Ortega in which nature plays the leading role, where the shapes are evocative of soft curves that invite concentration and the essential feature is contact with wood.





s p e r a



s p e r a



s p e r a







Swivel chair | S0000-aabb-xyyy

Reference	Base	Wheels	Arms	Mechanism
S1500	polished aluminium	chrome/rubber		gas lift
S1501	polished aluminium	chrome/rubber	fixed upholstered	gas lift
S1508	polished aluminium	chrome/rubber		balance
S1509	polished aluminium	chrome/rubber	fixed upholstered	balance

Units 1 / Customer fabric 61 cm (seat+back) - 117 cm (seat+back+arms) / Weight 17 Kg / Volume 0,25 m³

Lacquered wood (aa=13)		Colour wood (xx)	
	01	White	
	02	Black	
Natural wood (aa=14)		Colour wood (xx)	
	03	Oak	
	04	Wengue	






Monocoque seat without base | S0000-aabb-xyyy

Reference	Arms
S1540	
S1541	fixed upholstered

Units 1 / Customer fabric 61 cm (seat+back) - 117 cm (seat+back+arms) / Weight 14 Kg / Volume 0,48 m³
Units 2 / Customer fabric 122 cm (seat+back) - 234 cm (seat+back+arms) / Weight 27 Kg / Volume 0,48 m³

Bases

Reference	BA19	BA20	BA21	BA22	BA23	BA24	BA25	BA26
Characteristics	chromed steel skid	white steel skid	black steel skid	white nylon 4-radius pyramidal base	black nylon 4-radius pyramidal base	graphite nylon 4-radius pyramidal base	white nylon 4-radius pyramidal base	black nylon 4-radius pyramidal base
Gliders				wheels	wheels	wheels	gliders	gliders
Mechanism				swivel	swivel	swivel	swivel	swivel



Reference	BA27	BA28	BA29	BA30	BA31	BA32	BA33
Characteristics	graphite nylon 4-radius pyramidal base	4-radius polished aluminium	4-radius black aluminium	4-radius white aluminium	4-radius polished aluminium	4-radius black aluminium	4-radius white aluminium
Gliders	gliders	gliders	gliders	gliders	gliders	gliders	gliders
Mechanism	swivel	gas lift	gas lift	gas lift	revolving	revolving	revolving



Reference	BA34	BA35	BA36	BA37	BA38	BA39	BA40
Characteristics	4-radius polished aluminium	4-radius black aluminium	4-radius white aluminium	X structure black steel	X structure white steel	4 conical legs black steel	4 conical legs white steel
Gliders	gliders	gliders	gliders	gliders	gliders	gliders	gliders
Mechanism	balance	balance	balance				



VERY IMPORTANT!

The complete chair is composed of one of the Chair table references and one of the Bases table references.





Bench | S0000-aabb-xyyy

Reference	Seats	Total number of boxes	Lenght	Weight	Volume
S1530	2	3	100 cm	16,4 Kg	0,17 m³
S1531	3	3	150 cm	23,6 Kg	0,25 m³
S1532	4	3	200 cm	31 Kg	0,25 m³
S1535	5	3	250 cm	37,9 Kg	0,26 m³
S1533	2+Table	3	150 cm	20,8 Kg	0,25 m³
S1534	3+Table	3	200 cm	28,3 Kg	0,25 m³
S1536	4+Table	3	250 cm	35,2 Kg	0,26 m³

Bench V set of legs

Reference	PAV01	PAV02	PAV03	PAV04	PAV05
Characteristics	Black steel leg/ black steel bar	Grey steel leg/ grey steel bar	Polished aluminium leg/black bar	Polished aluminium leg/grey bar	Black nylon leg/ black steel bar
Weight/Volume	7 Kg / 0,06 m³	7 Kg / 0,06 m³	3,2 Kg / 0,06 m³	3,2 Kg / 0,06 m³	5 Kg / 0,11 m³



VERY IMPORTANT!

The complete bench is composed of one of the Bench table references and one of the Bench set of legs table references.

Bench T set of legs

Reference	PAT06	PAT07	PAT08	PAT09
Characteristics	Black steel leg/ black steel bar	Grey steel leg/ grey steel bar	Black steel leg ground Widthr/black steel bar	Grey steel leg ground Widthr/grey steel bar
Weight/Volume	9,4 Kg / 0,06 m³	9,4 Kg / 0,06 m³	9,4 Kg / 0,06 m³	9,4 Kg / 0,06 m³



Benches accessories

Reference	Characteristics
S9216	USB Charger
PAT10	Connecting kit for black T-benches
PAT11	Connecting kit for grey T-benches



Maximum weight



brooklyn

DILE reinterprets a classic design with a contemporary look, with cutting-edge technical solutions and materials that defy time. BROOKLYN looks to the future.



brooklyn



b r o o k l y n











Low chair | S0000-00bb-00yy

Reference	Base	Gliders	Mechanism
S2742	4-radius polished aluminium	fixed	gas lift
S2743	4-radius black aluminium	fixed	gas lift
S2744	4-radius white aluminium	fixed	gas lift
S2740	4-radius polished aluminium	fixed	revolving
S2738	4-radius black aluminium	fixed	revolving
S2739	4-radius white aluminium	fixed	revolving
S2741	5-radius polished aluminium	rubber wheels	gas lift

Units 1 / Customer fabric 194 cm / Weight 10,50 Kg / Volume 0,25 m³




Maximum weight



n o r m a

With its apparent simplicity and maximum commerciality, NORMA integrates perfectly into the spaces in which it is placed with a discreet yet striking presence. It offers an infinite variety of finishes, giving each space a unique touch.



n o r m a



n o r m a





Upholstered 4-radius armchair | S0000-00bb-00yy

Reference	Base
S2970	4 chromed legs
S2971	4 white legs
S2972	4 black legs
S2973	4 ash wood legs





Units 1 / Customer fabric 142 cm / Weight 11 Kg / Volume 0,25 m³



Upholstered swivel armchair | S0000-00bb-00yy

Reference	Base	Mechanism
S2974	4-radius chrome	swivel
S2975	4-radius white	swivel
S2976	4-radius black	swivel
S2977	4-radius ash wood	swivel

Units 1 / Customer fabric 142 cm / Weight 11 Kg / Volume 0,25 m³



Maximum weight

a s t o r i a

The Astoria is a proposal from Dile in which form is at the service of ergonomics and function, resulting in an exquisite proposal that dresses spaces with its unique presence. Comfortable and robust design with marked ergonomics.



a s t o r i a



astoria



Removable cover



Module | M0000-00bb-00yy

Reference	Description	Weight	Volume
M0300	module 1 seat	26 Kg	0,49 m³
M0301	module 2 seats	34 Kg	0,81 m³
M0302	module 3 seats	46 Kg	1,14 m³

Legs are not included. The reference must be added in the legs table.

Textile accessories

Reference	Characteristics	Volume
F0300	Interchangeable cover for 1-seater seat	0,18 m³
F0301	Interchangeable cover for 2-seater seat	0,18 m³
F0302	Interchangeable cover for 3-seater seat	0,18 m³
F0310	Interchangeable cover for 1-seater back	0,18 m³
F0311	Interchangeable cover for 2-seater back	0,18 m³
F0312	Interchangeable cover for 3-seater back	0,18 m³


VERY IMPORTANT!

The complete module is composed of one of the Module table references and one of the Set of legs table references.



Set of legs

Reference	PAS10	PAS11	PAS26
Characteristics	Chrome	Black	White



Customer fabric (bb = Upholstery group 01)	
	Fabric
1 seat	470 cm
2 seats	610 cm
3 seats	772 cm



Maximum weight

q u a t r o

Cubic modules of 1, 2 and 3 places with a great range of fabrics and finishes to customize your waiting area. The steel lower metal frame perfectly combines with the pure and straight lines of the Quatro.



q u a t r o



q u a t r o



q u a t r o



q u a t r o

Customer fabric (bb = Upholstery group 01)	
Fabric	
1 seat	418 cm
2 seats	565 cm
3 seats	660 cm
puff	105 cm

Module | M0000-00bb-00yy

Reference	Description	Weight	Volume
M0100	module 1 seat	40 Kg	0,45 m³
M0101	module 2 seats	55 Kg	0,70 m³
M0102	module 3 seats	70 Kg	1,00 m³
M0110	puff	12 Kg	0,25 m³

Legs are not included. The reference must be added in the legs table.









VERY IMPORTANT!

The complete module is composed of one of the Module table references and one of the Set of legs table references.



Set of legs

Reference	PAS12	PAS13	PAS27	PAS14	PAS15
Characteristics	module chrome	module black	ash wood	puff chrome	puff black



CERTIFICATES AND REGULATIONS
UNE EN 16139:2013



s l a s t i c

Designed by Rafa Ortega, it is flexible, comfortable, and adaptable to any space. Extreme modularity, with modular seats and backrests, both in inner and outer circles or in a straight line. The arrangement of auxiliary elements such as the table for "tablet" or magazine rack, make the Slastic a unique element for contract, office spaces, and hotels; endless possibilities for your projects.





s l a s t i c





Open curve module

Units	1
Weight (Kg)	16
Volume (m³)	0,26



Closed curve module

Units	1
Weight (Kg)	16
Volume (m³)	0,26



Straight module

Units	1
Weight (Kg)	15
Volume (m³)	0,21



Accessories arm

Units	1
Weight (Kg)	1,90
Volume (m³)	0,02



Magazine rack

Units	1
Weight (Kg)	1,60
Volume (m³)	0,04




Module | M0000-00bb-00yy

Reference	Frame	Description
M0700	chrome	open curve module
M0800	black	open curve module
M0701	chrome	closed curve module
M0801	black	closed curve module
M0702	chrome	straight module
M0802	black	straight module
M0710	chrome	arm support
M0810	black	arm support

Accessories

Reference	Characteristics
M0711	chromed magazine rack
M0811	black magazine rack
M0712	module connecting plate (2 Units)

Customer fabric	(bb = Upholstery group 01)
open curve module	168 cm
closed curve module	183 cm
straight module	150 cm



 120 kg Maximum weight

CERTIFICATES AND REGULATIONS
UNE EN 16139:2013

t e m p o

Elegant, comfortable, personal. This is TEMPO, a collection of waiting modules that can be integrated into modern spaces thanks to its lower structure and armrests in chrome-plated or black-painted steel.



t e m p o



t e m p o



t e m p o



TEMPO, with its modular system, permits customised configurations, creating reception areas with unlimited possibilities, highly adapted to the spaces available.

t e m p o



Module | M0000-00bb-00yy

Reference	Description	Weight	Volume
M0900	module 1 seat	16 Kg	0,33 m³
M0901	module 2 seats	33 Kg	0,65 m³
M0902	module 3 seats	48 Kg	1,00 m³
M0910	puff	12 Kg	0,20 m³


Armrests and legs not included. The reference must be added to the table of armrests and legs.

Accessories

Reference	Characteristics
K0201	Upholstered arm
K0200	Chromed union accessory. 1 kit for 2 modules

Arms

Reference	PAS20	PAS21	PAS22	PAS23	PAS24	PAS25
Characteristics	Left arm chrome	Left arm black	Right arm chrome	Right arm black	Pair arms chrome	Pair arms black
Weight	1,5 Kg	1,5 Kg	1,5 Kg	1,5 Kg	3 Kg	3 Kg



VERY IMPORTANT!

The complete module is composed of one of the Module table references and one of the Arms and Set of legs table references.




Customer fabric (bb = Upholstery group 01)	
	Fabric
1 seat	210 cm
2 seats	355 cm
3 seats	461 cm
puff	105 cm

Set of legs

Reference	PAS16	PAS17	PAS18	PAS19
Characteristics	Kit legs module chrome	Kit legs module black	Kit legs puff chrome	Kit legs puff black





 **120_{kg}** Maximum weight

CERTIFICATES AND REGULATIONS
UNE EN 16139:2013

c a l i c e

CALICE is the new collection from DILE, intended to supplement our solutions collection and fill those spaces in which, besides sitting, you have to place work or recreation objects, etc.



calice



calice

Colour phenolic (xx)	
01	White
02	Black

Colour wood (xx)	
03	Oak
19	Beech



03 / Oak



19 / Beech

Frame







Reference	Description	Colour	Weight	Volume
E0010	CALICE height 46 cm	chrome	7,70 Kg	0,065 m³
E0011	CALICE height 46 cm	grey	7,70 Kg	0,065 m³
E0016	CALICE height 46 cm	black	7,70 Kg	0,065 m³
E0017	CALICE height 46 cm	white	7,70 Kg	0,065 m³
E0012	CALICE height 69 cm	chrome	8,15 Kg	0,067 m³
E0013	CALICE height 69 cm	grey	8,15 Kg	0,067 m³
E0018	CALICE height 69 cm	black	8,15 Kg	0,067 m³
E0019	CALICE height 69 cm	white	8,15 Kg	0,067 m³
E0014	CALICE height 110 cm	chrome	9,00 Kg	0,070 m³
E0015	CALICE height 110 cm	grey	9,00 Kg	0,070 m³
E0020	CALICE height 110 cm	black	9,00 Kg	0,070 m³
E0021	CALICE height 110 cm	white	9,00 Kg	0,070 m³


Top phenolic | S0000-1600-xx00

Reference	Description	Weight	Volume
S0010	round 60 cm	6,90 Kg	0,12 m³
S0011	round 70 cm	8,70 Kg	0,12 m³
S0012	round 80 cm	11,40 Kg	0,12 m³
S0013	square 60 cm	7,35 Kg	0,12 m³
S0014	square 70 cm	9,20 Kg	0,12 m³
S0015	square 80 cm	12,05 Kg	0,12 m³

Top wood | S0000-1400-xx00

Reference	Description	Weight	Volume
S0016	MDF round 60 cm	4,50 kg	0,12 m³
S0017	MDF round 70 cm	5,20 kg	0,12 m³
S0018	MDF square 60 cm	5,30 kg	0,12 m³
S0019	MDF square 70 cm	6,32 kg	0,12 m³





Designed to give a touch of elegance to waiting areas. The table is made of oak or beech, noble woods that give warmth to each and every one of the different proposals available in the collection, including the white top. Its geometric shapes give the different spaces where it is placed an authentic personality.



c o f f e e



c o f f e e



278.

c o f f e e



Low table wood | T0000-aa14-xyyy

Reference	Legs	Weight	Volume	Top
T0020	4 legs	5,75 kg	0,06 m³	MDF square 60 cm
T0021	3 legs	5,30 kg	0,06 m³	MDF round 60 cm
T0022	3 legs	5,00 kg	0,06 m³	MDF triangular 60 cm

Lacquered wood (aa=13)	Colour wood (xx)	
	01	White
Natural wood (aa=14)	Colour wood (xx)	
	03	Oak
	19	Beech



01 / White



03 / Oak



19 / Beech







Colour wood legs (yy)	
03	Oak
19	Beech



03 / Oak



19 / Beech



w a i t i n g

WAITING is the perfect complement to DILE product family:
solid, harmonious and timeless.



w a i t i n g



w a i t i n g



Colour phenolic (xx)	
01	White
02	Black

Low table phenolic | T0000-1600-xx00

Reference	Base	Weight	Volume	Description
T0001	4-radius polished aluminium	10 Kg	0,17 m³	round phenolic top
T0004	4-radius white aluminium	10 Kg	0,17 m³	round phenolic top
T0005	4-radius black aluminium	10 Kg	0,17 m³	round phenolic top

Colour wood (xx)	
03	Oak
19	Beech

Low table wood | T0000-1400-xx00



Reference	Base	Weight	Volume	Description
T0006	4-radius polished aluminium	10 Kg	0,17 m³	round MDF top
T0007	4-radius white aluminium	10 Kg	0,17 m³	round MDF top
T0008	4-radius black aluminium	10 Kg	0,17 m³	round MDF top



03 / Oak



19 / Beech



fast · ergo

FAST ERGO, an office chair with features that are appropriate for both office and home, a maximum balance between functionality, operability and economy.



f a s t e r g o





High chair without arms | S0000-06bb-02yy

Reference	Base	Wheels	Mechanism
S2001	black nylon	nylon/rubber	permanent contact
S2011	polished aluminium	nylon/rubber	permanent contact

Units 1 / Customer fabric 68 cm / Weight 11 Kg / Volume 0,12 m³



Low chair without arms | S0000-06bb-02yy

Reference	Base	Wheels	Mechanism
S2021	black nylon	nylon/rubber	permanent contact
S2051	polished aluminium	nylon/rubber	permanent contact

Units 1 / Customer fabric 68 cm / Weight 11 Kg / Volume 0,12 m³



Cantilever 4 legs without arms | S0000-06bb-02yy

Reference	Base	Mechanism
S2032	4 black legs	permanent contact

Units 1 / Customer fabric 68 cm / Weight 9 Kg / Volume 0,25 m³
Units 2 / Customer fabric 136 cm / Weight 19 Kg / Volume 0,25 m³

Accessories

Reference	Characteristics
K9202*	Conversion kit for nylon stool with wheels
K9203*	Conversion kit for nylon stool with gliders
K9210*	Conversion kit for aluminium stool with gliders
K9211*	Conversion kit for aluminium stool with wheels

*Includes foot-ring, high gas spring, plugs or wheels (depending on selected reference).



Optional arms

Reference	BR11
Characteristics	Fixed




Cantilever skid without arms S0000-06bb-02yy

Reference	Base
S2030	black skid

Units 1 / Customer fabric 68 cm / Weight 9 Kg / Volume 0,25 m³
Units 2 / Customer fabric 136 cm / Weight 19 Kg / Volume 0,32 m³

fast ergo



t e c n i c

Versatility, functionality and economy. TECNIC is a collection full of possibilities: with fold-away writing pad, lower rack and the possibility of a chrome frame.



t e c n i c







Chair upholstered | S0000-06bb-00yy

Reference	Base	Arms
S1900	4 black legs	fixeds nylon
S1901	4 chrome legs	fixeds nylon
S1902	4 grey legs	fixeds nylon
S1903	4 black legs	
S1904	4 chrome legs	
S1905	4 grey legs	

Units 4 / Customer fabric 256 cm / Weight 26 Kg / Volume 0,26 m³
Units 2 / Customer fabric 128 cm / Weight 13 Kg / Volume 0,26 m³




Chair mesh | S0000-12bb-xyyy

Reference	Base	Arms
S1906	4 black legs	fixeds nylon
S1907	4 chrome legs	fixeds nylon
S1908	4 grey legs	fixeds nylon
S1909	4 black legs	
S1910	4 chrome legs	
S1911	4 grey legs	

Units 4 / Customer fabric 256 cm / Weight 26 Kg / Volume 0,26 m³
Units 2 / Customer fabric 128 cm / Weight 13 Kg / Volume 0,26 m³



01 / White



02 / Black




09 / Purple



18 / Red



20 / Green



22 / Grey



27 / Sea blue

Backrest mesh colour (xx)	
01	White
02	Black
09	Purple
18	Red
20	Green
22	Grey
27	Sea blue



Bench upholstered | S0000-06bb-00yy



Reference	Seats	Total number of boxes	Lenght	Weight	Volume
S1920	2	3	100 cm	13 Kg	0,17 m³
S1921	3	3	150 cm	20,6 Kg	0,25 m³
S1922	4	3	200 cm	25,3 Kg	0,25 m³
S1926	5	3	250 cm	32,7 Kg	0,26 m³
S1923	2+Table	3	150 cm	17,4 Kg	0,25 m³
S1924	3+Table	3	200 cm	22,1 Kg	0,25 m³
S1925	4+Table	3	250 cm	29,5 Kg	0,26 m³

Bench mesh | S0000-12bb-xyyy



Reference	Seats	Total number of boxes	Lenght	Weight	Volume
S1912	2	3	100 cm	12,9 Kg	0,17 m³
S1913	3	3	150 cm	20,5 Kg	0,25 m³
S1914	4	3	200 cm	25,2 Kg	0,25 m³
S1915	5	3	250 cm	32,6 Kg	0,26 m³
S1916	2+Table	3	150 cm	17,3 Kg	0,25 m³
S1917	3+Table	3	200 cm	22 Kg	0,25 m³
S1918	4+Table	3	250 cm	29,4 Kg	0,26 m³

Bench V set of legs

Reference	PAV01	PAV02	PAV03	PAV04	PAV05
Characteristics	Black steel leg/ black steel bar	Grey steel leg/ grey steel bar	Polished aluminium leg/black bar	Polished aluminium leg/grey bar	Black nylon leg/ black steel bar
Weight/Volume	7 Kg / 0,06 m³	7 Kg / 0,06 m³	3,2 Kg / 0,06 m³	3,2 Kg / 0,06 m³	5 Kg / 0,11 m³



VERY IMPORTANT!

The complete bench is composed of one of the Bench table references and one of the Bench set of legs table references.



Bench T set of legs

Reference	PAT06	PAT07	PAT08	PAT09
Characteristics	Black steel leg/ black steel bar	Grey steel leg/ grey steel bar	Black steel leg ground Widthr/black steel bar	Grey steel leg ground Widthr/grey steel bar
Weight/Volume	9,4 Kg / 0,06 m³	9,4 Kg / 0,06 m³	9,4 Kg / 0,06 m³	9,4 Kg / 0,06 m³









Benches accessories

Reference	Characteristics
S9216	USB Charger
PAT10	Connecting kit for black T-benches
PAT11	Connecting kit for grey T-benches



Accessories

Reference	Description	Volume	Units
S9200	Chair union kit	0,018 m³	5
S9201	Adjustable union kit for chairs with arms	0,018 m³	5
S9206	Folding anti-panic table kit (right)	0,018 m³	1
S9207	Folding anti-panic table kit (left)	0,018 m³	1
S9217	Right folding table kit	0,018 m³	1
S9212	Black document rack kit	0,018 m³	1



s t o o l s

PRODUCT MAP
STOOLS



WK05



WK05
upholstered



WK15



WK40



WK50

series·wk05

Infinite solutions and finishes that combine to adapt to different needs. Designed for professionals to create their own workspace.




MECHANISMS

WK05


Gas lift

Designed for the user to adjust the height of the stool to the most ergonomic position needed to work more comfortably.




Ring gas lift

Adjust the height of the stool using the ring, which helps to adjust it easily and without much effort.



Balance


Allows the seat to tilt synchronously with the user's movement.



WK05- W05000700

HIGH STOOL

- Non-slip black elastomer seat
- Swivel
- Gas lift
- **Black nylon base with adjustable nylon footrest ring**
- Non-slip gliders
- Minimum height 56 cm, maximum height 80 cm (from floor to seat)
- Diameter: 64 cm
- Optional wheels (same price)




Gas lift



WK05- W05010700

HIGH STOOL

- Non-slip black elastomer seat
- Swivel
- Gas lift
- **Polished aluminum base with adjustable chrome-plated steel footrest ring**
- Non-slip gliders
- Minimum height 56 cm, maximum height 80 cm (from floor to seat)
- Diameter: 64 cm
- Optional wheels (same price)



Gas lift



3 YEARS WARRANTY



MADE IN SPAIN



CERTIFIED MANUFACTURING QUALITY




PRODUCT TESTED FOR INTENSIVE USE

WK05- W05020700

LOW STOOL

- Non-slip black elastomer seat
- Swivel
- Gas lift
- **Black nylon base**
- Rubber wheels
- Minimum height 40 cm,
maximum height 53,5 cm
(from floor to seat)
- Diameter: 64 cm
- Optional non-slip gliders
(same price)





Gas lift



WK05- W05030700

LOW STOOL

- Non-slip black elastomer seat
- Swivel
- Gas lift
- **Polished aluminum base**
- Rubber wheels
- Minimum height 40 cm,
maximum height 53,5 cm
(from floor to seat)
- Diameter: 64 cm
- Optional non-slip gliders
(same price)




Gas lift



WK05- W05040700

HIGH STOOL

- Non-slip black elastomer seat
- Swivel
- Ring gas lift
- **Black nylon base with adjustable nylon footrest ring**
- Non-slip gliders
- Minimum height 56 cm, maximum height 80 cm (from floor to seat)
- Diameter: 64 cm
- Optional wheels (same price)




Ring gas lift



WK05- W05050700

HIGH STOOL

- Non-slip black elastomer seat
- Swivel
- Ring gas lift
- **Polished aluminum base with adjustable chrome-plated steel footrest ring**
- Non-slip gliders
- Minimum height 56 cm, maximum height 80 cm (from floor to seat)
- Diameter: 64 cm
- Optional wheels (same price)



Ring gas lift



3 YEARS WARRANTY



MADE IN SPAIN



CERTIFIED MANUFACTURING QUALITY




PRODUCT TESTED FOR INTENSIVE USE

WK05- W05060700

LOW STOOL

- Non-slip black elastomer seat
- Swivel
- Ring gas lift
- **Black nylon base**
- Rubber wheels
- Minimum height 40 cm,
maximum height 53,5 cm
(from floor to seat)
- Diameter: 64 cm
- Optional non-slip gliders
(same price)




Ring gas lift



WK05- W05070700

LOW STOOL

- Non-slip black elastomer seat
- Swivel
- Ring gas lift
- **Polished aluminum base**
- Rubber wheels
- Minimum height 40 cm,
maximum height 53,5 cm
(from floor to seat)
- Diameter: 64 cm
- Optional non-slip gliders
(same price)




Ring gas lift



WK05- W05080700

HIGH STOOL

- Non-slip black elastomer seat
- Swivel
- Gas lift
- **Black nylon base with adjustable nylon footrest ring**
- Non-slip gliders
- Minimum height 56 cm, maximum height 80 cm (from floor to seat)
- Diameter: 64 cm
- Balance360° mechanism
- Optional wheels (same price)




Balance360° mechanism /
Gas lift



WK05- W05090700

HIGH STOOL

- Non-slip black elastomer seat
- Swivel
- Gas lift
- **Polished aluminum base with adjustable chrome-plated steel footrest ring**
- Non-slip gliders
- Minimum height 56 cm, maximum height 80 cm (from floor to seat)
- Diameter: 64 cm
- Balance360° mechanism
- Optional wheels (same price)



Balance360° mechanism /
Gas lift



3 YEARS
WARRANTY



MADE IN SPAIN



CERTIFIED
MANUFACTURING
QUALITY




PRODUCT
TESTED FOR
INTENSIVE USE

WK05- W05100700

LOW STOOL

- Non-slip black elastomer seat
- Swivel
- Gas lift
- **Black nylon base**
- Rubber wheels
- Minimum height 40 cm,
maximum height 53,5 cm
(from floor to seat)
- Diameter: 64 cm
- Balance360° mechanism
- Optional non-slip gliders
(same price)




Balance360° mechanism /
Gas lift



WK05- W05110700

LOW STOOL

- Non-slip black elastomer seat
- Swivel
- Gas lift
- **Polished aluminum base**
- Rubber wheels
- Minimum height 40 cm,
maximum height 53,5 cm
(from floor to seat)
- Diameter: 64 cm
- Balance360° mechanism
- Optional non-slip gliders
(same price)




Balance360° mechanism /
Gas lift



WK05- W05000701/02/03

HIGH STOOL

- Seat interior in beech plywood covered with flexible 30 kg/m³ polyurethane foam
- Swivel
- Gas lift
- **Black nylon base with adjustable nylon footrest ring**
- Non-slip gliders
- Minimum height 59,5 cm, maximum height 83,5 cm (from floor to seat)
- Diameter: 64 cm
- Optional wheels (same price)





Gas lift



WK05- W05010701/02/03

HIGH STOOL

- Seat interior in beech plywood covered with flexible 30 kg/m³ polyurethane foam
- Swivel
- Gas lift
- **Polished aluminum base with adjustable chrome-plated steel footrest ring**
- Non-slip gliders
- Minimum height 59,5 cm, maximum height 83,5 cm (from floor to seat)
- Diameter: 64 cm
- Optional wheels (same price)



Gas lift



3 YEARS WARRANTY



MADE IN SPAIN



CERTIFIED MANUFACTURING QUALITY




PRODUCT TESTED FOR INTENSIVE USE

WK05- W05020701/02/03

LOW STOOL

- Seat interior in beech plywood covered with flexible 30 kg/m³ polyurethane foam
- Swivel
- Gas lift
- **Black nylon base**
- Rubber wheels
- Minimum height 43,5 cm, maximum height 57 cm (from floor to seat)
- Diameter: 64 cm
- Optional non-slip gliders (same price)




Gas lift



WK05- W05030701/02/03

LOW STOOL

- Seat interior in beech plywood covered with flexible 30 kg/m³ polyurethane foam
- Swivel
- Gas lift
- **Polished aluminum base**
- Rubber wheels
- Minimum height 43,5 cm, maximum height 57 cm (from floor to seat)
- Diameter: 64 cm
- Optional non-slip gliders (same price)




Gas lift



WK05- W05040701/02/03

HIGH STOOL

- Seat interior in beech plywood covered with flexible 30 kg/m³ polyurethane foam
- Swivel
- Ring gas lift
- **Black nylon base with adjustable nylon footrest ring**
- Non-slip gliders
- Minimum height 59,5 cm, maximum height 83,5 cm (from floor to seat)
- Diameter: 64 cm
- Optional wheels (same price)




Ring gas lift



WK05- W05050701/02/03

HIGH STOOL

- Seat interior in beech plywood covered with flexible 30 kg/m³ polyurethane foam
- Swivel
- Ring gas lift
- **Polished aluminum base with adjustable chrome-plated steel footrest ring**
- Non-slip gliders
- Minimum height 59,5 cm, maximum height 83,5 cm (from floor to seat)
- Diameter: 64 cm
- Optional wheels (same price)




Ring gas lift



WK05- W05060701/02/03

LOW STOOL

- Seat interior in beech plywood covered with flexible 30 kg/m³ polyurethane foam
- Swivel
- Ring gas lift
- **Black nylon base**
- Rubber wheels
- Minimum height 43,5 cm, maximum height 57 cm (from floor to seat)
- Diameter: 64 cm
- Optional non-slip gliders (same price)




Ring gas lift



WK05- W05070701/02/03

LOW STOOL

- Seat interior in beech plywood covered with flexible 30 kg/m³ polyurethane foam
- Swivel
- Ring gas lift
- **Polished aluminum base**
- Rubber wheels
- Minimum height 43,5 cm, maximum height 57 cm (from floor to seat)
- Diameter: 64 cm
- Optional non-slip gliders (same price)




Ring gas lift



WK05- W05080701/02/03

HIGH STOOL

- Seat interior in beech plywood covered with flexible 30 kg/m³ polyurethane foam
- Swivel
- Gas lift
- **Black nylon base with adjustable nylon footrest ring**
- Non-slip gliders
- Minimum height 59,5 cm, maximum height 83,5 cm (from floor to seat)
- Diameter: 64 cm
- Balance360° mechanism
- Optional wheels (same price)




Balance360° mechanism /
Gas lift



WK05- W05090701/02/03

HIGH STOOL

- Seat interior in beech plywood covered with flexible 30 kg/m³ polyurethane foam
- Swivel
- Gas lift
- **Polished aluminum base with adjustable chrome-plated steel footrest ring**
- Non-slip gliders
- Minimum height 59,5 cm, maximum height 83,5 cm (from floor to seat)
- Diameter: 64 cm
- Balance360° mechanism
- Optional wheels (same price)



Balance360° mechanism /
Gas lift



3 YEARS
WARRANTY



MADE IN SPAIN



CERTIFIED
MANUFACTURING
QUALITY




PRODUCT
TESTED FOR
INTENSIVE USE

WK05- W05100701/02/03

LOW STOOL

- Seat interior in beech plywood covered with flexible 30 kg/m³ polyurethane foam
- Swivel
- Gas lift
- **Black nylon base**
- Rubber wheels
- Minimum height 43,5 cm, maximum height 57 cm (from floor to seat)
- Diameter: 64 cm
- Balance360° mechanism
- Optional non-slip gliders (same price)




Balance360° mechanism /
Gas lift



WK05- W05110701/02/03

LOW STOOL

- Seat interior in beech plywood covered with flexible 30 kg/m³ polyurethane foam
- Swivel
- Gas lift
- **Polished aluminum base**
- Rubber wheels
- Minimum height 43,5 cm, maximum height 57 cm (from floor to seat)
- Diameter: 64 cm
- Balance360° mechanism
- Optional non-slip gliders (same price)



Balance360° mechanism /
Gas lift



series·wk15

A stool line with elastomer seats that combines unique qualities in the professional seating market.




MECHANISMS

WK15


Gas lift

Designed for the user to adjust the height of the stool to the most ergonomic position needed to work more comfortably.




Ring gas lift

Adjust the height of the stool using the ring, which helps to adjust it easily and without much effort.




Balance

Allows the seat to tilt synchronously with the user's movement.



Tilting



The seat moves over the center of the chair, with a central locking system.



WK15- W15000700

HIGH STOOL

- Non-slip black elastomer seat
- Swivel
- Gas lift
- **Black nylon base with adjustable nylon footrest ring**
- Non-slip gliders
- Minimum height 56,5 cm, maximum height 80,5 cm (from floor to seat)
- Diameter: 64 cm
- Optional wheels (same price)





Gas lift



WK15- W15010700

HIGH STOOL

- Non-slip black elastomer seat
- Swivel
- Gas lift
- **Polished aluminum base with adjustable chrome-plated steel footrest ring**
- Non-slip gliders
- Minimum height 56,5 cm, maximum height 80,5 cm (from floor to seat)
- Diameter: 64 cm
- Optional wheels (same price)





Gas lift



WK15- W15020700

LOW STOOL

- Non-slip black elastomer seat
- Swivel
- Gas lift
- **Black nylon base**
- Rubber wheels
- Minimum height 40,50 cm, maximum height 54 cm (from floor to seat)
- Diameter: 64 cm
- Optional non-slip gliders (same price)





Gas lift



WK15- W15030700

LOW STOOL

- Non-slip black elastomer seat
- Swivel
- Gas lift
- **Polished aluminum base**
- Rubber wheels
- Minimum height 40,50 cm, maximum height 54 cm (from floor to seat)
- Diameter: 64 cm
- Optional non-slip gliders (same price)



Gas lift



3 YEARS WARRANTY



MADE IN SPAIN



CERTIFIED MANUFACTURING QUALITY





PRODUCT TESTED FOR INTENSIVE USE

WK15- W15040700

HIGH STOOL

- Non-slip black elastomer seat
- Swivel
- Ring gas lift
- **Black nylon base with adjustable nylon footrest ring**
- Non-slip gliders
- Minimum height 56,5 cm, maximum height 80,5 cm (from floor to seat)
- Diameter: 64 cm
- Optional wheels (same price)





Ring gas lift



WK15- W15050700

HIGH STOOL

- Non-slip black elastomer seat
- Swivel
- Ring gas lift
- **Polished aluminum base with adjustable chrome-plated steel footrest ring**
- Non-slip gliders
- Minimum height 56,5 cm, maximum height 80,5 cm (from floor to seat)
- Diameter: 64 cm
- Optional wheels (same price)





Ring gas lift



WK15- W15060700

LOW STOOL

- Non-slip black elastomer seat
- Swivel
- Ring gas lift
- **Black nylon base**
- Rubber wheels
- Minimum height 40,50 cm, maximum height 54 cm (from floor to seat)
- Diameter: 64 cm
- Optional non-slip gliders (same price)





Ring gas lift



WK15- W15070700

LOW STOOL

- Non-slip black elastomer seat
- Swivel
- Ring gas lift
- **Polished aluminum base**
- Rubber wheels
- Minimum height 40,50 cm, maximum height 54 cm (from floor to seat)
- Diameter: 64 cm
- Optional non-slip gliders (same price)



Ring gas lift



3 YEARS WARRANTY



MADE IN SPAIN



CERTIFIED MANUFACTURING QUALITY




PRODUCT TESTED FOR INTENSIVE USE

WK15- W15080700

HIGH STOOL

- Non-slip black elastomer seat
- Swivel
- Gas lift
- **Black nylon base with adjustable nylon footrest ring**
- Non-slip gliders
- Minimum height 56,5 cm, maximum height 80,5 cm (from floor to seat)
- Diameter: 64 cm
- Balance360° mechanism
- Optional wheels (same price)




Balance360° mechanism /
Gas lift



WK15- W15090700

HIGH STOOL

- Non-slip black elastomer seat
- Swivel
- Gas lift
- **Polished aluminum base with adjustable chrome-plated steel footrest ring**
- Non-slip gliders
- Minimum height 56,5 cm, maximum height 80,5 cm (from floor to seat)
- Diameter: 64 cm
- Balance360° mechanism
- Optional wheels (same price)




Balance360° mechanism /
Gas lift



WK15- W15100700

LOW STOOL

- Non-slip black elastomer seat
- Swivel
- Gas lift
- **Black nylon base**
- Rubber wheels
- Minimum height 40,50 cm, maximum height 54 cm (from floor to seat)
- Diameter: 64 cm
- Balance360° mechanism
- Optional non-slip gliders (same price)




Balance360° mechanism /
Gas lift



WK15- W15110700

LOW STOOL

- Non-slip black elastomer seat
- Swivel
- Gas lift
- **Polished aluminum base**
- Rubber wheels
- Minimum height 40,50 cm, maximum height 54 cm (from floor to seat)
- Diameter: 64 cm
- Balance360° mechanism
- Optional non-slip gliders (same price)



Balance360° mechanism /
Gas lift



3 YEARS
WARRANTY



MADE IN SPAIN



CERTIFIED
MANUFACTURING
QUALITY




PRODUCT
TESTED FOR
INTENSIVE USE

WK15- W15120700

HIGH STOOL

- Non-slip black elastomer seat
- Swivel
- Gas lift
- **Black nylon base**
- Non-slip gliders
- Minimum height 56,5 cm, maximum height 80,5 cm (from floor to seat)
- Diameter: 64 cm
- Tilting mechanism
- Optional wheels (same price)




Tilting mechanism /
Gas lift



WK15- W15130700

HIGH STOOL

- Non-slip black elastomer seat
- Swivel
- Gas lift
- **Polished aluminum base**
- Non-slip gliders
- Minimum height 56,5 cm, maximum height 80,5 cm (from floor to seat)
- Diameter: 64 cm
- Tilting mechanism
- Optional wheels (same price)



Tilting mechanism /
Gas lift



series·wk40


Comfort, ergonomics and resistance are combined in this stool line in order to provide the user with the best possible service. The design of the backrest with handle makes it easy to transport.



MECHANISMS WK40


Permanent contact

The backrest inclination can be adjusted. Furthermore, when the mechanism is released, thanks to the pressure regulation system, the degree of hardness of the movement can be adjusted.



Synchronised independent


Synchronized tilting movement of the seat and backrest on the central axis of the chair independently of each other. In other words, we can adjust the degree of inclination of the backrest and seat separately.



WK40- W40120700

HIGH STOOL

- Non-slip black elastomer backrest and seat
- Swivel
- Gas lift
- **Base nylon con aro apoyapies de nylon adjustable**
- Non-slip gliders
- Minimum height 58 cm, maximum height 82 cm (from floor to seat)
- Diameter: 64 cm
- Height and depth adjustable backrest
- Permanent contact mechanism
- Optional wheels (same price)




Permanent contact



WK40- W40160700

HIGH STOOL

- Non-slip black elastomer backrest and seat
- Swivel
- Gas lift
- **Black nylon base with adjustable nylon footrest ring**
- Non-slip gliders
- Minimum height 58,5 cm, maximum height 82,5 cm (from floor to seat)
- Diameter: 64 cm
- Height adjustable backrest
- Synchronised independent mechanism
- Optional wheels (same price)




Synchronised independent



WK40- W40130700

HIGH STOOL

- Non-slip black elastomer backrest and seat
- Swivel
- Gas lift
- **Polished aluminum base with adjustable chrome-plated steel footrest ring**
- Non-slip gliders
- Minimum height 58 cm, maximum height 82 cm (from floor to seat)
- Diameter: 64 cm
- Height and depth adjustable backrest
- Permanent contact mechanism
- Optional wheels (same price)




Permanent contact




WK40- W40170700

HIGH STOOL

- Non-slip black elastomer backrest and seat
- Swivel
- Gas lift
- **Polished aluminum base with adjustable chrome-plated steel footrest ring**
- Non-slip gliders
- Minimum height 58,5 cm, maximum height 82,5 cm (from floor to seat)
- Diameter: 64 cm
- Height adjustable backrest
- Synchronised independent mechanism
- Optional wheels (same price)



Synchronised independent



3 YEARS WARRANTY



MADE IN SPAIN



CERTIFIED MANUFACTURING QUALITY





PRODUCT TESTED FOR INTENSIVE USE

WK40- W40140700

LOW CHAIR




- Non-slip black elastomer backrest and seat
- Swivel
- Gas lift
- **Black nylon base**
- Rubber wheels
- Minimum height 41,50 cm, maximum height 55 cm (from floor to seat)
- Diameter: 64 cm
- Height and depth adjustable backrest
- Permanent contact mechanism
- Optional non-slip gliders (same price)



WK40- W40180700

LOW CHAIR



- Non-slip black elastomer backrest and seat
- Swivel
- Gas lift
- **Black nylon base**
- Rubber wheels
- Minimum height 42 cm, maximum height 55,5 cm (from floor to seat)
- Diameter: 64 cm
- Height adjustable backrest
- Synchronised independent mechanism
- Optional non-slip gliders (same price)



WK40- W40150700

LOW CHAIR



- Non-slip black elastomer backrest and seat
- Swivel
- Gas lift
- **Polished aluminum base**
- Rubber wheels
- Minimum height 41,50 cm, maximum height 55 cm (from floor to seat)
- Diameter: 64 cm
- Height and depth adjustable backrest
- Permanent contact mechanism
- Optional non-slip gliders (same price)



WK40- W40190700

LOW CHAIR

- Non-slip black elastomer backrest and seat
- Swivel
- Gas lift
- **Polished aluminum base**
- Rubber wheels
- Minimum height 42 cm, maximum height 55,5 cm (from floor to seat)
- Diameter: 64 cm
- Height adjustable backrest
- Synchronised independent mechanism
- Optional non-slip gliders (same price)



series·wk50


Work stools and chairs designed to endure long working hours without reducing safety and comfort. The user can easily exchange seats and backrests thanks to their clip system, as well as being breathable thanks to their perforated design. It is the most resistant collection for intensive use.



MECHANISMS WK50


Permanent contact

The backrest inclination can be adjusted. Furthermore, when the mechanism is released, thanks to the pressure regulation system, the degree of hardness of the movement can be adjusted.



Synchronised independent



Synchronized tilting movement of the seat and backrest on the central axis of the chair independently of each other. In other words, we can adjust the degree of inclination of the backrest and seat separately.



WK50- W50120700

HIGH STOOL

- Non-slip black elastomer backrest and seat
- Swivel
- Gas lift
- **Black nylon base with adjustable nylon footrest ring**
- Non-slip gliders
- Minimum height 60 cm, maximum height 84 cm (from floor to seat)
- Diameter: 64 cm
- Height and depth adjustable backrest
- Permanent contact mechanism
- Optional wheels (same price)





Permanent contact




WK50- W50160700

HIGH STOOL

- Non-slip black elastomer backrest and seat
- Swivel
- Gas lift
- **Black nylon base with adjustable nylon footrest ring**
- Non-slip gliders
- Minimum height 60,5cm, maximum height 84,5 cm (from floor to seat)
- Diameter: 64 cm
- Height adjustable backrest
- Synchronised independent mechanism
- Optional wheels (same price)



Synchronised independent



3 YEARS WARRANTY



MADE IN SPAIN



CERTIFIED MANUFACTURING QUALITY




PRODUCT TESTED FOR INTENSIVE USE

WK50- W50130700

HIGH STOOL

- Non-slip black elastomer backrest and seat
- Swivel
- Gas lift
- **Polished aluminum base with adjustable chrome-plated steel footrest ring**
- Non-slip gliders
- Minimum height 60 cm, maximum height 84 cm (from floor to seat)
- Diameter: 64 cm
- Height and depth adjustable backrest
- Permanent contact mechanism
- Optional wheels (same price)




Permanent contact




WK50- W50170700

HIGH STOOL

- Non-slip black elastomer backrest and seat
- Swivel
- Gas lift
- **Polished aluminum base with adjustable chrome-plated steel footrest ring**
- Non-slip gliders
- Minimum height 60,5cm, maximum height 84,5 cm (from floor to seat)
- Diameter: 64 cm
- Height adjustable backrest
- Synchronised independent mechanism
- Optional wheels (same price)






Synchronised independent



WK50- W50140700

LOW CHAIR



- Non-slip black elastomer backrest and seat
- Swivel
- Gas lift
- **Black nylon base**
- Rubber wheels
- Minimum height 44,50 cm, maximum height 58 cm (from floor to seat)
- Diameter: 64 cm
- Height and depth adjustable backrest
- Permanent contact mechanism
- Optional non-slip gliders (same price)



WK50- W50180700

LOW CHAIR

- Non-slip black elastomer backrest and seat
- Swivel
- Gas lift
- **Black nylon base**
- Rubber wheels
- Minimum height 40 cm, maximum height 53,5 cm (from floor to seat)
- Diameter: 64 cm
- Height adjustable backrest
- Synchronised independent mechanism
- Optional non-slip gliders (same price)



3 YEARS WARRANTY



MADE IN SPAIN



CERTIFIED MANUFACTURING QUALITY





PRODUCT TESTED FOR INTENSIVE USE

WK50- W50150700

LOW CHAIR

- Non-slip black elastomer backrest and seat
- Swivel
- Gas lift
- **Polished aluminum base**
- Rubber wheels
- Minimum height 44,50 cm, maximum height 58 cm (from floor to seat)
- Diameter: 64 cm
- Height and depth adjustable backrest
- Permanent contact mechanism
- Optional non-slip gliders (same price)




Permanent contact




WK50- W50190700

LOW CHAIR

- Non-slip black elastomer backrest and seat
- Swivel
- Gas lift
- **Polished aluminum base**
- Rubber wheels
- Minimum height 40 cm, maximum height 53,5 cm (from floor to seat)
- Diameter: 64 cm
- Height adjustable backrest
- Synchronised independent mechanism
- Optional non-slip gliders (same price)



Synchronised independent





a c c e s s o r i e s

ACCESSORIES

Arms

Reference	BR16	BR17	BR19	BR26
Models	Acer+	Tecnic	X-Light	AdaptaPro/Atika Air/Atika/AtikaPro/ Flexa/FoxPro/SignoPro/XL+
Description	Aluminium arm	Arm fixed nylon	Arm fixed	2D black adjustable armrests
Volume	0,018 m³	0,018 m³	0,018 m³	0,018 m³
Units	2	2	2	2



Arms upholstered

Reference	BR20				BR21				BR22			
Upholstery group (bb)	01	02	03	04	01	02	03	04	01	02	03	04
Characteristics	Arm chrome/upholstered				Arm chrome/upholstered				Arm chrome/upholstered			
Models	Neo+				Boss				Trinity			
Volume	0,018 m³				0,018 m³				0,018 m³			
Units	2				2				2			



Kits

Reference	S9203	S9210	S9214	S9215
Description	Nylon kit (gas lift banquette with gliders)	Chrome kit (gas lift banquette gliders)	Nylon kit (gas lift banquette wheels)	Chrome kit (gas lift banquette wheels)
Volume	0,018 m³	0,018 m³	0,018 m³	0,018 m³
Units	1	1	1	1



Wheels and gliders

Reference	S9100	S9101	S9103	S9104
Description	Rubberised nylon wheels 50 mm	Rubberised chrome wheels 50 mm	Rubberised nylon wheels 65 mm (thin extremity bases)	Rubberised chrome wheels 65 mm (thin extremity bases)
Volume	0,002 m³	0,002 m³	0,002 m³	0,002 m³
Units	5	5	5	5



Reference	S9105	S9114	S9137	S9138	S9113	S9115
Description	Rubberised nylon auto-braking wheels 50 mm	Rubberised nylon auto-braking wheels 65mm	Black nylon wheels 50 mm (pyramid base)	Graphite nylon wheels 50 mm (pyramid base)	*Nylon conductive auto-braking wheels 50mm	*Nylon conductive auto-braking wheels 65mm
Volume	0,002 m³	0,002 m³	0,002 m³	0,002 m³	0,002 m³	0,002 m³
Units	5	5	4	4	5	5

*Two conductive wheels are included according to the regulations, the other wheels are normal.



Reference	S9102	S9108	S9111	S9112
Description	Thick nylon gliders	Thick chromed gliders	Fine nylon gliders	Fine chromed gliders
Volume	0,002 m³	0,002 m³	0,002 m³	0,002 m³
Units	5	5	5	5



Reference	S9106	S9134	S9133	S9109	S9110
Description	EMILSIDER hollow grey wheels 65 mm (24h)	Rubberised nylon wheels 65 mm (thick extremity bases)	Rubberised chrome wheels 65 mm (thick extremity bases)	Standard wheel Form 50 mm	Brake unloaded wheel Form 50 mm
Volume	0,002 m³	0,002 m³	0,002 m³	0,002 m³	0,002 m³
Units	5	5	5	1	1



Bases

Reference	S9300	S9319	S9335	S9304	S9312
Description	Aluminium base	Aluminium base Pro	White aluminium base Pro	Black nylon base Pro	Flat aluminium base
Models	Boss	Atika air/AdaptaPro/ AtikaPro/FoxPro/Fast/ SignoPro/WK	AtikaPro	Atika Air/AdaptaPro/AtikaPro/ FoxPro/SignoPro/WK	Acer+/Aita/Atika/Brooklyn/ Custom/Flexa/Kind/Neo+/ Spera/Trinity/XL/X-Light
Diameter	70 cm	64 cm	64 cm	64 cm	70 cm
Volume	0,003 m³	0,003 m³	0,003 m³	0,003 m³	0,003 m³



Reference	S9313	S9326	S9328	S9314
Description	Black nylon flat base	Black aluminium flat base	White aluminium flat base	White nylon flat base
Models	Aita/Atika/Flexa/Kind/Neo+/ Trinity/XL/X-Light	Trinity	Flexa	X-Light
Diameter	68 cm	70 cm	70 cm	68 cm
Volume	0,003 m³	0,003 m³	0,003 m³	0,003 m³



Reference	S9323	S9324	S9325	S9320
Description	Polished aluminium	White aluminium	Black nylon	4 aluminium polished base
Models	Equis	Equis	Equis	Acer+/Aita/Anak/Brooklyn/Circle/ Custom/Kind/Spera/Trinity/ Waiting/X-Light
Diameter	69 cm	69 cm	71 cm	69 cm
Volume	0,003 m³	0,003 m³	0,003 m³	0,003 m³



ACCESSORIES

Reference	S9321	S9322	S9305	S9310
Description	4 aluminium black base	4 aluminium white base	Conical aluminium A-base	Black nylon conical base
Models	Aita/Anak/Brooklyn/Circle/ Custom/Spera/Trinity/ Waiting/X-Light	Aita/Brooklyn/Calma/Custom/ Spera/Waiting/X-Light	Atenea/Atenea upholstered/ Atlanta/Feel/Reload/Splash	Atenea/Atenea upholstered/ Atlanta/Feel/Reload/Splash
Diameter	69 cm	69 cm	65 cm	65 cm
Volume	0,003 m ³	0,003 m ³	0,003 m ³	0,003 m ³



Reference	S9303	S9330	S9331	S9329
Description	Black nylon 600 base	Black pyramid base for wheels	Graphite pyramid base for wheels	White pyramid base for wheels
Models	Fast	Aita/Atenea/Atenea upholstered/ Atlanta/Spera	Aita/Atenea/Atenea upholstered/ Atlanta/Spera	Aita/Atenea/Atenea upholstered/ Atlanta/Spera
Diameter	60 cm	67,5 cm	67,5 cm	67,5 cm
Volume	0,003 m ³	0,003 m ³	0,003 m ³	0,003 m ³




Reference	S9333	S9334	S9332	S9327
Description	Black pyramid base with gliders	Graphite pyramid base with gliders	White pyramid base with gliders	4 base wood oak
Models	Aita/Atenea/Atenea upholstered/ Atlanta/Spera	Aita/Atenea/Atenea upholstered/ Atlanta/Spera	Aita/Atenea/Atenea upholstered/ Atlanta/Spera	Anak/Circle
Diameter	67,5 cm	67,5 cm	67,5 cm	85 cm
Volume	0,003 m ³	0,003 m ³	0,003 m ³	0,005 m ³



Gas lift column

Reference	Description	Models	Volume	Units	A	A+B	A+B+C	A+B+C+D
S9119	Black operative	Aita/AdaptaPro/Brooklyn/Custom/Kind	0,002 m³	1	0	240	295	432
S9121	Black operative	Aita/Atenea/Atika/AtikaPro/Fast/Feel/FoxPro/Reload/SignoPro/Splash	0,002 m³	1	40	233	293	418
S9123	Black directional	Aita/AtikaPro/Boss/Flexa/Neo+/XL/X-Light	0,002 m³	1	37	180	245	320
S9125	Black directional	Trinity	0,002 m³	1	46	170	220	285
S9145	Black 24h	Atika 24h/Equis/Flexa 24h	0,002 m³	1	105	232	277	412
S9127	Black stool	Stool with nylon base	0,002 m³	1	75	380	450	690
S9131	Black stool special	Intermediate nylon stool base	0,002 m³	1	70	300	355	560



upholstered·material·finishes

Group 01 BALI



exit
fabrics.

Tech data sheet

Composition

100% Polyolefin

Width 140 cm/ 54 in $\pm$ 2%

Resistance to abrasion

UNE-EN 14465:2004+A1:2007 Annex A to based on UNE-EN ISO 12947-2:1999/ AC:2006 + 90.000 (Martindale cycles)

Breaking strenght

UNE-EN ISO 13937-3:2001

Warp: 180 N / Weft: 160 N

Fastness to Rubbing

Dry: UNE-EN ISO 105-X12:2003 4/5

Wet: UNE-EN ISO 105-X12:2003 4/5

Coulour fastness to light

UNE-EN ISO 105-B02:2001 +A1:2002 Method 2 6/7 (grade 1-8; 8 best value). Suitable for outdoor

Pilling resistance

UNE-EN 14465:2004 - A1:2007, UNE-EN ISO 12945-2:2001 4/5

Inflammability

UK: BS 5825:2006 (cigarette)

UE: in 1021-1:2006 (cigarette)

D: DIN 66084:2003-07 classification P- c

USA: CAL TB 117:2000 Section E, part 1 (C.S. 191-53; CLASS 1)

NFPA 260:2009 Cover fabric CLASS 1

Buses: UNECE Regulation No. 118 Annex 6

(Directive 95/28 Annex IV) Flammability performance is dependent on foam used.



Cigarette
test



Don't use
bleach



Wash in dry



Antibacterial



Ecologic



Antistatic




Recyclable
100%



Suitable for
outdoor



P6




P8



P20



P21



P22



P28



P29



P30

Group 01 POLYESTER



exit
fabrics.

Tech data sheet

Composition

100% polyester

Width 140 cm/ 54 in $\pm$ 2%

Resistance to abrasion

+ 80.000 (Martindale cycles) ISO 12947-2

Breaking strenght

UNE-EN ISO 13937-3:2001

Warp: 400 N / Weft: 260 N

Fastness to Rubbing

Dry: UNE-EN ISO 105-X12:2003 4/5

Wet: UNE-EN ISO 105-X12:2003 4/5

Coulour fastness to light

Value: 6 (Tolerance 5 to 8; 8 best value)

ISO 105-B02 (Xenotest)


Pilling resistance

UNE-EN ISO 12945-2:2001 4/5

Inflammability

EN 1021-1 & 2

Will also pass other flammability standards. Flame retardant performance is dependent upon the foam used.



C1



C2



C5



C7



C8



C10



C14



C17



Cigarette
test



Match test



Wash in dry



Avoid drying
in the sun



Don't use
bleach

Group 01

GOYA



exit
fabrics.

Tech data sheet

Composition 100%
Poliolefina

Width
140 cm/ 54 in $\pm$ 2%

Resistance to abrasion
UNE-EN 14465:2004+A1:2007
Annex A to based on UNE-EN ISO 12947-2:1999/
AC:2006 90.000 (Martindale cycles)

Breaking strenght
UNE-EN ISO 13937-3:2001
Warp: 130 N / Weft: 100 N

Fastness to Rubbing
Dry: UNE-EN ISO 105-X12:2003 4/5
Wet: UNE-EN ISO 105-X12:2003 4/5

Coulour fastness to light
UNE-EN ISO 105-B02:2001+A1:2002 Method 2 5/6
(grade 1-8; 8 best value). Suitable for outdoor

Pilling resistance
UNE-EN 14465:2004 +A1:2007, UNE-EN ISO 12945-
2:2001 4/5

Inflammability
UK: BS 5825:2006 (cigarette)
UE: in 1021-1:2006 (cigarette)
D: DIN 66084:2003-07 classification P- c
USA: CAL TB 117:2000 Section E, part 1
(C.S. 191-53; CLASS 1) NFPA 260:2009
Cover fabric CLASS 1
Buses: UNECE Regulation No. 118 Annex 6 (Directive
95/28 Annex IV) Flammability performance is
dependent on foam used.



Cigarette
test



Don't use
bleach



Wash in dry



Antibacterial



Ecologic




Antistatic




Recyclable
100%




Suitable for
outdoor




D1



D3




D6




D8




D9



D10



D11



D12

Group 01 TOUCH LEATHER



VERY IMPORTANT!
Not recommended for
installations, limited
domestic use only.



VERY IMPORTANT!

Light colors and white are
excluded from warranty due to
color transmission from external
fabrics (jeans, dyed clothes, etc.).



Tech data sheet

Composition

85 % Polyurethane (PU) – 15 % Cotton

Width 140 cm/ 54 in

Weight 570 g/m²

Thickness 1,00 – 1,10 mm

Resistance to abrasion

50.000 (Martindale cycles) ISO 1247-2:1998

Breaking strenght

Warp: 3,18 kg. / Weft: 3,64 kg.

Tensile strenght

Warp: 3,18 kg. / Weft: 3,64 kg.

Inflammability

UK: BS 5825:2006 (cigarette)

UE: in 1021-1:2006 (cigarette)

D: DIN 66084:2003-07 classification P- c

USA: CAL TB 117:2000 Section E, part 1

(C.S. 191-53;CLASS 1)

NFPA 260:2009 Cover fabric CLASS 1

Buses: UNECE Regulation No. 118 Annex 6

(Directive 95/28 Annex IV) Flammability
performance is dependent on foam used.



Cigarette
test



Wash in dry



Wash with
wet cloth




Avoid drying
in the sun



Don't use
bleach



R1




R2



R3



R4




R5



R6



R7



R8



R9

Group 01 COMBI



exit
fabrics.

Tech data sheet

Composition

100% Polyolefin

Width 140 cm/ 54 in $\pm$ 2%

Resistance to abrasion

UNE-EN 14465:2004+A1:2007

Annex A to based on UNE-EN ISO 12947-2:1999/

AC:2006 +40.000 (Martindale cycles)

Breaking strenght

UNE-EN ISO 13937-3:2001

Warp:400 N / Weft: 260 N

Fastness to Rubbing

Dry: UNE-EN ISO 105-X12:2003 4/5

Wet: UNE-EN ISO 105-X12:2003 4/5

Coulour fastness to light

UNE-EN ISO 105-B02:2001 +A1:2002 Method 2 6/7
(grade 1-8; 8 best value). Suitable for outdoor

Pilling resistance

UNE-EN 14465:2004 +A1:2007,

UNE-EN ISO 12945-2:2001 4/5

Inflammability

UK: BS 5825:2006 (cigarette)

UE: in 1021-1:2006 (cigarette)

D: DIN 66084:2003-07 classification P- c

USA: CAL TB 117:2000 Section E, part 1 (C.S. 191-53;
CLASS 1)

NFPA 260:2009 Cover fabric CLASS 1

Buses: UNECE Regulation No. 118 Annex 6 (Directive
95/28 Annex IV) Flammability performance is
dependent on foam used.



Cigarette
test



Don't use
bleach



Wash in dry



Antibacterial




Ecologic




Recyclable
100%




B1



B2



B3



B4




B5



B6



B7



B8

Group 02

OCEAN



exit
fabrics.

Tech data sheet

Composition

100% Polyester F.R.

Width 160 cm / $\pm 2\%$

Resistance to abrasion

UNE-EN 14465:2004+A1:2007
annex A based on UNE-EN ISO 12947-2: 1999/
AC:2006 + 100.000 (Martindale cycles)

Breaking strenght

UNE-EN ISO 13937-3:2001

Warp: 68 N / Weft: 73 N

Fastness to Rubbing

Dry: UNE-EN ISO 105-X12:2003 4/5

Wet: UNE-EN ISO 105-X12:2003 4/5

CouLOUR fastness to light

UNE-EN ISO 105-B02:2001 +A1:2002
Method 2 4/5 (grade 1-8; 8 best value)

Pilling resistance

UNE-EN 14465:2004 +A1:2007,
UNE-EN ISO 12945-2:2001 4/5

Inflammability

UK: BS 5852:2006 (cigarette and match);
BS 5852:2006 Crib 5; BS 7176:2007 Medium Hazard;
UE: in 1021-1:2006 (cigarette); in 1021-2:2006 (match);
D: DIN 4102-1:1998 class. B2; DIN 66084:2003
classification P-a; F: NF P 92-507:2004
classification M.1 NF 60-013:2006 (AM 18); ES:
UNE 23727-90 1R Classe M.1 ; I: UNI 9175:2010 Clase
1.IM; USA: CAL TB 117:2000 Section E, part 1(C.S.
191-53; CLASS 1); NFPA 260:2009 Cover fabric CLASS
1; Buses: UNECE Reg. No 118 App. 6; Marine: IMO
MSC.307(88) Annex I Part 8; Aeronautical: FAR 25.853
a) App. F Part I Paragraph (a)(1)(ii) Flammability
performance depends on foam used.



Cigarette
test



Match test




Wash in dry



Avoid drying
in the sun




Don't use
bleach




G2



G3



G4



G5



G7



G8



G10



G12

Group 02

ELASTIKA FR



exit
fabrics.

Tech data sheet

Composition

100% Poliester F.R.

Width 140 cm/ 54 in ±

Resistance to abrasion

UNE-EN 14465:2004+A1:2007

Annex A to based on UNE-EN ISO 12947-2:1999/
AC:2006 +100.000 (Martindale cycles)

Breaking strenght

UNE-EN ISO 13937-3:2001

Warp: 81 N / Weft: 66 N

Fastness to Rubbing

Dry: UNE-EN ISO 105-X12:2003 4

Wet: UNE-EN ISO 105-X12:2003 4

Coulour fastness to light

UNE-EN ISO 105-B02:2001+A1:2002

Method 2 5/6 (grade 1-8; 8 best value)

Pilling resistance

UNE-EN 14465:2004 +A1:2007,

UNE-EN ISO 12945-2:2001 4/5

Inflammability

UK: BS 5852:2006 (cigarette and match);

BS 5852:2006 Crib 5; BS 7176:2007 Medium Hazard;

UE: in 1021-1:2006 (cigarette); in 1021-2:2006 (match);

D: DIN 4102- 1:1998 classification B2 DIN 66084:2003

classification P-a; F: NF P 92-507:2004 classification

M.1; NF 60-013:2006 (AM 18); ES: UNE 23727-90 1R

Classe M.1; I: UNI 9175:2010 Clase 1.IM; USA: CAL

TB 117:2000 Section E,part 1(C.S. 191-53; CLASS 1);

NFPA 260:2009 Cover fabric CLASS 1; Buses: UNECE

Regulation No 118 Appendix 6; Marine: IMO MSC.307

(88) Annex I Part 8 Aeronautical: FAR 25.853 a)

Appendice F Part I Paragraph (a)(1)(ii). Flammability

performance is depends on foam used.



Cigarette
test



Match test




Wash in dry



Avoid drying
in the sun



Don't use
bleach



12



13




14



17



I10



I11



I12



I14

Group 02

ORUGA



FROCA

Tech data sheet

Composition

100 % polyester

Width 150 cm

Seam strength

Warp: 1.8 mm / BS 3320:1988

Weft: 2 mm / BS 2543:1995

Resistance to abrasion

+70.000 (Martindale cycles)

Breaking strength

Warp: 64 N / ISO13937-3:2000

Weft: 64 N / ISO13937-3:2000

Breaking strength

Warp: 140,36 N / in ISO 13937-3

Weft: 92,62 N / in ISO 13937-3

Coulour fastness to light

4 / ISO 105 B02:1994

Rubbing Solvents

4-5 / ISO 105X12:2001

Rubbing fastness in humid state

4 / ISO 105X12:2001

Pilling resistance

4-5 / ISO 12945-2



02



04



09



010



011



012



015



Wash in dry



Anti-stain
finish



Avoid drying
in the sun



Don't use
bleach

Group 02 NILO



VERY IMPORTANT!

Light colors and white are excluded from warranty due to color transmission from external fabrics (jeans, dyed clothes, etc.).



FROCA

Tech data sheet

Composition

Surface: 100% polyurethan

Base: 70% polyester / 30 % cotton

Width 140 cm/ 54 in +/- 2cm

Resistance to abrasion

+100.000 (Martindale cycles)

Breaking strenght

Warp: 7254,6 N / A in ISO 13937-3

Weft: 46,7 N / A in ISO 13937-3

Breaking strenght

Warp: 54,6 N / A in ISO 13937-3

Weft: 92,62 N / A in ISO 13937-3

Coulour fastness to light

> 5 / A EN ISO 105-B 02

Rubbing Solvents

5: A EN ISO 105-X12

Rubbing fastness in humid state

5: A EN ISO 105-X12

Pilling resistance

ISO/DIS 12945-2

Treatment Azo

Undetectable

Anti hidrolisis

Jungle test 3 years

Inflammability

EN 1021-1 & 2

Will also pass other flammability standards. Flame retardant performance is dependent upon the foam used.



Cigarette
test



Match test



Wash in dry



Avoid drying
in the sun



Don't use
bleach



Anti hidrolisis




Ecologic



Antiallergic



Without
chemical
products



NL1




NL7



NL9



NL12



NL15



NL33



NL39



NL43

Group 02 MADISON



FROCA

Tech data sheet

Composition

80 % pes. / 20 % cot.

Width 140 cm/ 54 in

Seam strength

Warp: 1.8 mm / BS 3320:1988

Weft: 2 mm / BS 2543:1995

Resistance to abrasion

+ 30.000 (Martindale cycles)

Breaking strength

Warp: 729,0 n/18,1% Cat. A in ISO 13934-1

Weft: 687,0 n/29,9% Cat. A in ISO 13934-1

Breaking strength

Warp: 140,36 N / in ISO 13937-3

Weft: 92,62 N / in ISO 13937-3

Coulour fastness to light

>5 / UNE 40187 / BS 1006-B02

Rubbing Solvents

5: ISO 105-D01 / UNE 40099

Rubbing fastness in humid state

5: ISO 105-C06 / UNE 40029

Pilling resistance

ISO/DIS 12945-2



MA1




MA3



MA4



MA6



MA12



MA17



MA19



MA20



Wash with
wet cloth



Avoid drying
in the sun



Don't use
bleach

Group 02 TONAL



Gabriel

Tech data sheet

Composition

100% recycled polyester

Width 140 cm/ 55 in

Weight 315 g/m²

Resistance to abrasion

+ 100.000 (Martindale cycles) ISO 12947-2/14465

Resistance to abrasion wyzenbeek (ASTM D4157-07)
(severe use)+100.000 (Martindale cycles)

Pilling resistance

UNE-EN ISO 12945-2:2001 4/5

Coulour fastness to light

UNE-EN ISO 105-B02.

Scale 1-8; 6-8

Fastness to Rubbing

Dry : UNE-EN ISO / 105-X122003 4/5

Wet: UNE-EN ISO 105-X122003 4/5

Acoustic test air flow resistance

EN 29053 & ISO 9053-1

Coulour fastness to light

UNE-EN ISO 105-B02 method 2

Colour fastness to perspiration

AATCC 15. Scale 1-5; 5 ; BS EN ISO 105-E04

Breaking strenght

ASTM D4034; BS EN ISO 13936-2

Dry cleaning fastness

BS EN ISO 6330 4M 40 C PC

Inflammability

UE: EN 1021-1:2006 (cigarette) EN 1021-2:2006
(match); UK: BS 5852:2006 (cigarette and match);
BS 5852:2006 Crib 5; BS 7176:2007 Medium Hazard;
DIN 4102-1:1998 clasificación B1; NF P92-503:2004
clasificación M.3; Class Uno UNI 8456 UNI 9174; CA
TB 117-2013



Cigarette
test



Match test




Wash in dry




Avoid drying
in the sun




Don't use
bleach



T01




T02



T03



T04




T05



T06



T07



T08

Group 02

ONE



FIDIVI*

Tech data sheet

Composition

100% recycled polyester

Width 150 cm/ 59 in

Resistance to abrasion

+ 100.000 (Martindale cycles) ISO 12947-2

Coulour fastness to light

>6 / ISO 105-B02 (Xenotest)

Fastness to Rubbing

Dry : UNE-EN ISO / 105-X122003 4/5

Wet: UNE-EN ISO 105-X122003 4/5

Pilling resistance

ISO 12945-2; Scale 1-5; 5

Inflammability

UE: EN 1021-1:2006 (cigarette) EN 1021-2:2006 (match)



Avoid drying
in the sun



Wash in dry




Cigarette
test




Match test




ON1



ON2



ON3




ON4



ON5



ON6



ON7



ON8

Group 03 VALENCIA



VERY IMPORTANT!



Light colors and white are excluded from warranty due to color transmission from external fabrics (jeans, dyed clothes, etc.).

SPRADLING®

Tech data sheet

Composition

100% polyester

Width 137 cm - ISO 2286-1

Resistance to abrasion

+ 300.000 (Martindale cycles) ISO 12947-2

Breaking strenght

ISO 4674-1 MB NEWTON (MIN.)

Warp: 29 N / Weft: 25 N

Fastness to Rubbing

Dry: UNE-EN ISO 105-X12:2003 4/5

Wet: UNE-EN ISO 105-X12:2003 5

Coulour fastness to light

DIN 54004 / NTC 1479 Blue wool Cal≥7 1,000 Hours

Tensile strenght

ISO 1421 M1 NEWTON / MIN

Warp: 405 N / Weft: 198 N

Inflammability

FMVSS 302, IMO Res. MSC.307(88) - (2010 FTP

Code) Annex 1 Part 8; FAR 25.853 (A) Appendix F

Part. I (a)(1)(ii);

UNE 23.727 90: M2; EN 1021 PARTE 1 & 2;

DIN 4102 (B2); ÖNORM B 3825; ÖNORM B 3800 Teil

1; CALIFORNIA T.B. 117-2013; UFAC Fabric - Class I;

NFP 92.503: M2; EN 71-2; UNI 9175: 1.IM; ECE R118



VA5



VA6



VA11



VA14



VA15



VA16



VA21



VA22



Cigarette
test



Match test



Wash in dry



Avoid drying
in the sun



Don't use
bleach



Waterproof



Antistatic



Antibacterial



Antiallergic



Without
chemical
products

Group 03

DEKORA



exit
fabrics.

Tech data sheet

Composition

100% Polyolefin

Width 140 cm/ 54 in $\pm$ 2%

Resistance to abrasion

UNE-EN 14465:2004+A1:2007

Annex A to based on UNE-EN ISO 12947-2:1999/
AC:2006 + 40.000 (Martindale cycles)

Breaking strenght

UNE-EN ISO 13937-3:2001

Warp: 120 N / Weft: 130 N

Fastness to Rubbing

Dry: UNE-EN ISO 105-X12:2003 4/5

Wet: UNE-EN ISO 105-X12:2003 4/5

Coulour fastness to light

UNE-EN ISO 105-B02:2001 +A1:2002 Method 2 5/6
(grade 1-8; 8 best value). Suitable for outdoor

Pilling resistance

UNE-EN 14465:2004 +A1:2007,

UNE-EN ISO 12945-2:2001 4/5

Inflammability

UK: BS 5825:2006 (cigarette)

UE: in 1021-1:2006 (cigarette)

D: DIN 66084:2003-07 classification P- c USA: CAL
TB 117:2000 Section E, part 1 (C.S. 191-53; CLASS 1)

NFPA 260:2009 Cover fabric CLASS 1; Buses: UNECE
Regulation No. 118 Annex 6 (Directive 95/28 Annex
IV) Flammability performance is dependent on foam
used.



Cigarette
test



Wash in dry



Don't use
bleach



Avoid drying
in the sun



Ecologic



Antistatic



Recyclable
100%



DE1



DE2




DE3



DE4




DE5



DE6



DE7



DE8

Group 03 FELICITY



Gabriel

Tech data sheet

Composition

100% recycled polyester

Width 140 cm/ 55 in

Weight 430 g/m²

Resistance to abrasion

+ 90.000 (Martindale cycles) ISO 12947-2/14465
Resistance to abrasion wyzenbeek (ASTM D4157-07) (severe use) +100.000 (Martindale cycles)

Pilling resistance

UNE-EN ISO 12945-2:2001
Scale 1-5; 5

Coulour fastness to light

UNE-EN ISO 105-B02.
Scale 1-8; 5-7

Fastness to Rubbing

Dry: UNE-EN ISO / 105-X122003 4/5
Wet: UNE-EN ISO 105-X122003 4/5

Acoustic test air flow resistance

EN 29053 & ISO 9053-1d

Coulour fastness to light

UNE-EN ISO 105-B02 method 2

Colour fastness to perspiration

AATCC 15. Scale 1-5; 5 ; BS EN ISO 105-E04

Breaking strenght

ASTM D4034; BS EN ISO 13936-2

Rubbing Solvents

BS EN ISO 6330 4M 40 C PC

Inflammability

UE: EN 1021-1:2006 (cigarette) EN 1021-2:2006 (match); UK: BS 5852:2006 (cigarette and match); BS 5852:2006 Crib 5; BS 7176:2007 Medium Hazard; DIN 4102-1:1998 clasificación B1; NF P92-503:2004 clasificación M.3; Class Uno UNI 8456 UNI 9174; CA TB 117-2013



Cigarette
test



Match test



Wash in dry



Avoid drying
in the sun



Don't use
bleach



FE1



FE2



FE3



FE4



FE5



FE6



FE7



FE8

Group 04 LEATHER



VERY IMPORTANT!

Light colors and white are excluded from warranty due to color transmission from external fabrics (jeans, dyed clothes, etc.).

Tech data sheet

Composition

100% Bovine Leather

Tannerie By chrome

Tannerie By Passes

Finish Pigmented

Engrave Madras

Tannerie By Passes

Medium size

ca. 4 m2. Aprox.

Average Thickness

ca. 0.9 - 1 mm.

Flexometry

20.000 iuf/20

Fastness to Rubbing

Dry: 500 iuf 450

Wet: 100 iuf 450

Ph value min. 3,5 din 53312



Wash with
wet cloth



Avoid drying
in the sun




Don't use
bleach




CFC Free



Pentachlorophenol
free



F1




F2



F3




F6



F8



F14



F18



F20

FOAM Upholstered ATIKA & CUSTOM



Tech data sheet

Composition

64% polyester – 36% pur

Width 140 cm/ 54 in $\pm$ 2%

Resistance to abrasion

+ 80.000 (Martindale cycles)
ISO 12947-2

Breaking strenght

UNE-EN ISO 13937-3:2001

Warp: 400 N / Weft: 260 N

Fastness to Rubbing

Dry: UNE-EN ISO 105-X12:2003 4/5

Wet: UNE-EN ISO 105-X12:2003 4/5

Coulour fastness to light

Value: 6 (Tolerance 5 to 8; 8 best value) ISO 105-B02
(Xenotest)

Pilling resistance

UNE-EN ISO 12945-2:2001 4/5


Inflammability

EN 1021-1 & 2

Will also pass other flammability standards. Flame retardant performance is dependent upon the foam used.



B01



B02



B03



B04



B05



Cigarette
test



Match test



Wash in dry



Avoid drying
in the sun



Don't use
bleach

Equis back SPAZIO



FIDIVI*

Tech data sheet

Composition

100% recycled polyester

Width 140 cm/ 54

Resistance to abrasion

+ 50.000 (Martindale cycles) ISO 12947-2

Colour fastness to light

>6 / ISO 105-B02 (Xenotest)

Fastness to Rubbing

Dry : UNE-EN ISO / 105-X122003 4/5

Wet: UNE-EN ISO 105-X122003 4/5

Pilling resistance

ISO 12945-2; Scale 1-5; 5

Inflammability

UE: EN 1021-1:2006 (cigarette) EN 1021-2:2006 (match)



Avoid drying
in the sun



Wash in dry




Cigarette
test




Match test



SP1



SP2



SP3



SP4



SP5



SP6



SP7



SP8

Mesh EQUIS



Gabriel

Tech data sheet

Composition

100% Fire retardant polyester

Width 160 cm/ 63 in

Weight 525 g/m²

Resistance to abrasion

+ 70.000 (Martindale cycle) ISO 12947-2/14465

Resistance to abrasion wyzenbeek (ASTM D4157-07)

(severe use) +100.000 (Martindale cycle)

Pilling resistance

UNE-EN ISO 12945-2:2001 5/5

Coulour fastness to light

UNE-EN ISO 105-B02.

Scale 1-8; 5-7

Fastness to Rubbing

Dry: UNE-EN ISO / 105-X122003 4/5

Wet: UNE-EN ISO 105-X122003 4/5

Acoustic test air flow resistance

EN 29053 & ISO 9053-1

Coulour fastness to light

UNE-EN ISO 105-B02 method 2

Colour fastness to perspiration

AATCC 15. Escala 1-5; 5

Breaking strenght

ASTM D4034

Rubbing Solvents

BS EN ISO 6330 4M 40 C PC

Inflammability

UE: EN 1021-1:2006 (cigarette) EN 1021-2:2006

(cerilla); UK: BS 5852:2006 (cigarette and match);

BS 5852:2006 Crib 5; BS 7176:2007 Medium Hazard;

DIN 4102-1:1998 clasificación B1; NF P92-503:2004

clasificación M.3; Class Uno UNI 8456 UNI 9174; CA

TB 117-2013



Cigarette
test



Match test




Wash in dry




Avoid drying
in the sun




Don't use
bleach




02



05



12




18




22



27



30



31

Mesh X-LIGHT



Tech data sheet

Composition

Elastomer Nylon

Resistance to abrasion

+ 100.000 (Martindale cycles)

Breaking strenght

Weft: 147,8 Kg/5cm

Warp: 176,9Kg/5cm

Fastness to Rubbing

EN ISO 105-x12:2003

col. 4165, 1101, 2102, 4154, 4104, 1195

5 - val. max

Coulour fastness to light

EN ISO 4892-2/06


col. 0152, 5154, 1140, 0600, 4202, 0108, 4104, 1100, 2116

8 - val. max

Fatigue strenght

UNE-EN ISO 13934 EN1728:2000 - EN


Level 3° hard > 200.000 cycles / 1.000 N



01



02



18



22



27



Avoid drying
in the sun



Don't use
bleach



Wash in dry

Mesh ACER+



Tech data sheet

Fabric components

PVC: 75 %

PES: 25 %

Composition

Warp yarn: 4.700 dtex

Weft yarn: 4.700 dtex

Width Min 140 cm - Max 235 cm

Weight 560 gr/m²

UNI 9213/3

Thickness 1 mm

Resistance to abrasion

EN ISO 12947-2:1998, + 100.000 (Martindale cycles)

Breaking strenght

UNI EN ISO 1421

Weft: 230 Kg/5cm / Warp: 275Kg/5cm

Fastness to Rubbing

EN ISO 105-x12:2003

col. 4165, 1101, 2102, 4154, 4104, 1195

5 - val. max

Coulour fastness to light

EN ISO 4892-2/06

col. 0152, 5154, 1140, 0600, 4202, 0108, 4104, 1100, 2116


8 - val. max

Fatigue strenght

UNE-EN ISO 13934 EN1728:2000 - EN

Level 3° hard


> 200.000 cycles / 1.000 N



01



02



22



Avoid drying
in the sun



Don't use
bleach



Wash in dry

Mesh

ATIKA & SPLASH



Tech data sheet

Fabric components

PVC: 75 %

PES: 25 %

Composition

Warp yarn: 4.700 dtex

Weft yarn: 4.700 dtex

Width Min 140 cm - Max 235 cm

Weight 560 gr/m² UNI 9213/3

Thickness 1 mm

Resistance to abrasion

EN ISO 12947-2:1998

+ 100.000 (Martindale cycles)

Breaking strenght

UNI in ISO 1421

Weft: 230 Kg/5cm / Warp: 275Kg/5cm

Fastness to Rubbing

EN ISO 105-x12:2003

col. 4165, 1101, 2102, 4154, 4104, 1195

5 - val. max

Coulour fastness to light

EN ISO 4892-2/06

col. 0152, 5154, 1140, 0600, 4202, 0108, 4104, 1100,
2116 8 - val. max

Fatigue strenght

UNE-EN ISO 13934 EN1728:2000 - EN

Level 3° hard > 200.000 cycles / 1.000 N




Avoid drying
in the sun




Don't use
bleach



Wash in dry




01




02




06



20



22



26



27

Mesh

ATIKA AIR & CONFIDENT



Tech data sheet

Fabric components

PVC: 55 %

PES: 45 %

Composition

Warp yarn: 4.700 dtex

Weft yarn 1: F074 - 4.700 dtex

Weft yarn 2: F00100 - 5.260 dtex

Width Min 140 cm - Max 235 cm

Weight 490 gr/m2 UNI 9213/3

Thickness 1,3 mm

Breaking strenght

UNI in ISO 1421

Weft: 170 Kg/5cm

Warp: 50 Kg/5cm

Breaking elongation


UNI EN ISO 1421

Weft: 15 % / Warp: 18 %

Fatigue strenght

UNE-EN ISO 13934 EN1728:2000 - EN

Level 3° hard > 200.000 cycles / 1.000 N



01



02



Avoid drying
in the sun



Don't use
bleach



Wash in dry

Mesh

FOXPRO, RELOAD,
KIND & TECNIC



Tech data sheet

Composition

100% PES

Width 150 cm UNE-EN 1773

Weight 345 gr / m² UNE 40600-6

Thickness 1 mm

UNE-EN -ISO 5084 Tolerancia: ±10%

Breaking strenght

UNE-EN ISO 13934

Weft: 900 N / Warp: 900 N

Tensile strain

50 N

UNE-EN ISO 13934

Weft: 7 % / Warp: 16 % Tolerance: ≤ 18 %



Avoid drying
in the sun




Don't use
bleach




Wash in dry




01




02




09



18



20



22



27

Polypropylene ATLANTA



01



02




22



32

Polypropylene ATENEA



01



02




05



06




16



17




22




32


Polypropylene SPLASH




01



02



16




17




22


Polypropylene RELOAD



01



02



18



20



22




27

Polypropylene FEEL



01



02



06



16




17



22




28



32

Polypropylene ARI



01



02




05



06




16



17




22




24

ELASTOMER CALMA




01



02



12




17




24


WOOD
SPERA & CUSTOM




01



02



03



04

C u s t o m e r f a b r i c

Equis	59 cm
Flexa 24h	120 cm
Flexa high chair	120 cm
Flexa low chair	110 cm
Flexa Cantilever	110 cm
Atika 24h	75 cm
Atika mesh	75 cm
Atika upholstered	95 cm
Atika PURE	75 cm
AtikaPro	75 cm
FoxPro high chair upholstered + headrest	159 cm + 30 cm
FoxPro high chair mesh + headrest	58 cm + 30 cm
SignoPro	77 cm
AdaptaPro	78 cm
Atenea seat	57 cm
Atenea seat + back	60 cm
Atenea upholstered	120 cm
Atlanta	60 cm
Splash panel seat	61 cm
Splash panel back	61 cm

Reload seat	54 cm
Reload seat + back	94 cm
Confident	73 cm
Custom upholstered	116 cm
Custom panel seat	70 cm
Kind	77 cm
Feel panel seat	60 cm
Boss High chair	193 cm
Boss Low chair	187 cm
Boss Cantilever	187 cm
Neo+ High chair	203 cm
Neo+ Low chair	194 cm
Neo+ Cantilever	194 cm
Trinity High chair	185 cm
Trinity Low chair	123 cm
Trinity Cantilever	123 cm
XL+	160 cm
Acer+	65 cm
Aita high chair + headrest	246 cm
Aita high chair	246 cm
Aita low chair	201 cm
Anak high chair	353 cm
Anak low chair	305 cm
Circle	290 cm

Medusa	110 cm
Spera seat + back	61 cm
Spera seat + back + arms	117 cm
Brooklyn	194 cm
Norma	142 cm
Astoria 1 seat	470 cm
Astoria 2 seats	610 cm
Astoria 3 seats	772 cm
Quatro 1 seat	418 cm
Quatro 2 seats	565 cm
Quatro 3 seats	660 cm
Quatro Puff	105 cm
Slastic module open curve	168 cm
Slastic module closed curve	183 cm
Slastic straight module	150 cm
Tempo module 1 seat	210 cm
Tempo module 2 seats	355 cm
Tempo module 3 seats	461 cm
Tempo Puff	105 cm
Fast Ergo	68 cm
Tecnic	64 cm
WK05	50 cm

Price per meter

Group 01	20
Group 02	35
Group 03	50
Group 04	60



Tech data sheet

Upholstered	Composition	Width	Resistance to abrasion	Breaking strenght	Breaking strenght	Fatigue strenght	Fast-ness to rubbing	Fastness to rubbing wet	Coulour fastness to light	Rubbing Solvents	Colour fastness to perspiration	Rubbing solvents	Pilling resistance
Bali (G1)	100% Polyolefin	140 cm	90.000 cycles	Warp 180 N / Weft 160 N			4 of 5	4 of 5	7 of 8				4 of 5
Polyester (G1)	100% Polyester	140 cm	80.000 cycles	Warp 400 N / Weft 260 N			4 of 5	4 of 5	6 of 8				4 of 5
Goya (G1)	100% Polyolefin	140 cm	90.000 cycles	Warp 130 N / Weft 100 N			4 of 5	4 of 5	6 of 8				4 of 5
Touch Leather (G1)	85% Polyurethane - 15% Cotton	140 cm	50.000 cycles	Warp 3,18 Kg / Weft 3,64 Kg									
Combi (G1)	100% Polyolefin	140 cm	40.000 cycles	Warp 400 N / Weft 260 N			4 of 5	4 of 5	7 of 8				4 of 5
Ocean (G2)	100% Polyester	140 cm	100.000 cycles	Warp 68 N / Weft 73 N			4 of 5	4 of 5	5 of 8				4 of 5
Elastika FR (G2)	100% Polyester	140 cm	100.000 cycles	Warp 81 N / Weft 66 N			4 of 5	4 of 5	6 of 8				4 of 5
Oruga (G2)	100% Polyester	150 cm	70.000 cycles	Warp 64 N / Weft 64 N	Warp 140 N / Weft 92 N				4 of 8	4 of 8		4 of 5	4 of 5
Nilo (G2)	100% Polyurethane (Surface) / 70% Polyester - 30% Cotton (base)	140 cm	100.000 cycles	Warp 54 N / Weft 46 N	Warp 54 N / Weft 46 N				5 of 8	5 of 8		5 of 5	4 of 5
Madison (G2)	80% Polyester - 20% Cotton	140 cm	30.000 cycles	Warp 729 N / Weft 687 N	Warp 140 N / Weft 92 N				5 of 8	5 of 8		5 of 5	4 of 5
Tonal (G2)	100% Recycled polyester	140 cm	100.000 cycles				4 of 5	4 of 5	6 of 8		5 of 5	5 of 5	4 of 5
One (02)	100% Recycled polyester	150 cm	100.000 cycles				4 of 5	4 of 5	6 of 8				5 of 5
Valencia (G3)	100% Polyester	140 cm	300.000 cycles	Warp 29 N / Weft 25 N	Warp 405 N / Weft 198 N		4 of 5	5 of 5	7 of 8				
Dekora (G3)	100% Polyolefin	140 cm	40.000 cycles	Warp 120 N / Weft 130 N			4 of 5	4 of 5	6 of 8				4 of 5
Felicity (G3)	100% Recycled polyester	140 cm	90,000cycles				4 of 5	4 of 5	7 of 8		5 of 5	5 of 5	5 of 5
Leather (G4)	100% Bovine leather												
Foam upholstered	64% Polyester - 36% Polyurethane	140 cm	80.000 cycles	Warp 400 N / Weft 260 N			4 of 5	4 of 5	6 of 8				4 of 5
Spazio (G3)	100% Recycled polyester	140 cm	50.000 cycles				4 of 5	4 of 5	6 of 8				5 of 5
Mesh Equis	100 % Fire retardant polyester	160 cm	100.000 cycles				4 of 5	4 of 5	7 of 8		5 of 5	5 of 5	5 of 5
Mesh X-Light	100% Elastomer nylon		100.000 cycles	Warp 147 N / Weft 176 N		200.000 cycles	4 of 5	4 of 5	6 of 8				
Mesh Acer+	75% PVC - 25% Polyester	140 cm	100.000 cycles	Warp 230 Kg / Weft 275 Kg		200.000 cycles	4 of 5	4 of 5	6 of 8				
Mesh Atika and Splash	75% PVC - 25% Polyester	140 cm	100.000 cycles	Warp 230 Kg / Weft 275 Kg		200.000 cycles	4 of 5	4 of 5	6 of 8				
Mesh Atika Air and Confident	55% PVC - 45% Polyester	140 cm		Warp 170 Kg / Weft 50 Kg		200.000 cycles							
Mesh FoxPro, Reload, Kind and Tecnic	100% Polyester	150 cm		Warp 90 0 N / Weft 900 N									

Tech data sheet

Upholstered	Inflammability parte 1 (cigarette)	Inflammability parte 2 (match)	Wash in dry	Wash with wet cloth	Antibacterial	Antiallergic	Ecologic	Antistatic	Recyclable	Suitable for outdoor	Anti-stain finish	Anti hidrolysis	Without chemical products	Impermeable	CFC Free	Pentaclorofenol free
Bali (G1)	o		o		o		o	o	o	o						
Polyester (G1)	o	o	o													
Goya (G1)	o		o		o		o	o	o	o						
Touch Leather (G1)	o		o	o												
Combi (G1)	o		o		o		o		o							
Ocean (G2)	o	o	o													
Elastika FR (G2)	o	o	o													
Oruga (G2)			o								o					
Nilo (G2)	o	o	o			o	o					o	o			
Madison (G2)				o												
Tonal (G2)	o	o	o													
One (02)	o	o	o													
Valencia (G3)	o	o	o		o	o		o					o	o		
Dekora (G3)	o		o				o	o	o							
Felicity (G3)	o	o	o													
Leather (G4)				o											o	o
Foam upholstered	o	o	o													
Spazio (G3)	o	o	o													
Mesh Equis	o	o	o													
Mesh X-Light			o													
Mesh Acer+			o													
Mesh Atika and Splash			o													
Mesh Atika Air and Confident			o													
Mesh FoxPro, Reload, Kind and Tecnic			o													

PRICES

The prices in this price list reflect the net retail Price (VAT not included).

DELIVERY

Terms are agreed specifically with each customer.

TERM OF PAYMENT

Bank transfer within 30 days.

PERSONALIZED SERVICE

Any modification of finishes and/or combinations not included in this tariff, for example upholstery combinations and/or plastic Colours with different references within the same group of seats and backrests will be considered a personalized service. In order to offer a personalized and quality service, we charge an additional 5% on the indicated price (excluding VAT).

PAYMENT DEFAULT

Any sums not paid to the Seller by the Buyer on the due date will result in the suspension of pending orders until full payment of the sums due, with a resulting adjustment of the terms of payment.

CESCE INSURANCE

All commercial risks are insured by the CESCE Credit Insurance. Customer credit ratings are obtained via insurance credit ratings. If this is not obtained, the payment of the order will be anticipated.

CLAIMS AND RETURN POLICY

It is important to verify the contents of the package and the carrier's delivery note before accepting the goods. You have 48 hours after receipt of your order to notify us of any defects. No claims may be made after this period.

Returned goods must be packaged in the original DILEOFFICE S.L. boxes (hereafter known as DILE). All returns must be authorized by DILE and coordinated by the agreed agent. Shipping costs for replacement or exchanged products that are not due to production defects shall be paid by the customer. If a replacement is required due to defect or damage, the original product must be returned to DILE within 15 days from the delivery date. The customer can proceed to the destruction or recycling of the broken or defective plastic parts. For claims to be valid in accordance with

our guarantee, it is necessary that the customer send photographs of the incident, accompanied by the order number/delivery order/invoice.

GUARANTEE

The period of the guarantee is 3 years from the date of the invoice, during which time DILE undertakes to replace defective or broken parts. DILE is not responsible for the misuse of our products. We exclude any liability for damage caused by improper or incorrect use of our products, and cannot provide a warranty on a damaged product caused by improper use by the user and/or by the use of products not recommended for maintenance (see the cleaning protocol of the product concerned). Stains caused by the discoloration of the dye from the outer fabrics to our finishes (such as jeans, dyed clothes, etc.) are also excluded.

An extended warranty is available for certain projects/products; please contact our sales department.

CATALOGUE

The indications and dimensions of the articles that appear in our catalogue are approximate. They are shown in order to provide maximum clarity and information about the product.

DILE reserves the right to modify, rectify, or cancel products as considered suitable.

LITIGATION

In case of litigation, the customer shall waive any right to their own jurisdiction and submit to the jurisdiction of the Courts and Tribunals of Alicante, Spain.

EXTANT

The current price list supersedes all previous price lists and will be effective on April 9, 2.022. This price list will remain valid until a new edition is published or a typographical error is found.

DILE QUALITY

QUALITY AND SOCIAL RESPONSIBILITY



DILE HAS BEEN AWARDED CERTIFICATION FOR DIN EN ISO 9001:2015, ISO 14001:2015 E ISO 14006:2011

Our concern for quality does not end in our facilities. We believe that offering customers impeccable service is as important as manufacturing.

In addition, DILE offers the Symbol of Quality Control in most of its products, which certifies and recognizes that they have passed different tests in the laboratories of the AIDIMME Furniture Technology Institute and in the Furniture and Wood Technology Centre of the Murcia Region CETEM, demonstrating that they are suitable for the use for which they are intended.

For an even greater guarantee of our products and to share corporate efforts with the sector, DILE belongs to FAMO (Association of Manufacturers and General Office Equipment and Collectives).

MADE IN SPAIN

A 3-year warranty guarantees our full orientation to quality, a condition that would not be possible without the full integration of all our certified suppliers, who support the DILE initiative to offer our customers the best possible safety conditions.

POST-SALES SERVICE

Spare parts, wheels, exchanges, doubts, assistance in DILE we offer our customers an exclusive service to in the form of POST-SERVICE TELEPHONE DIRECT, so any questions or queries will be treated with maximum efficiency and comfort.



A business-to-business link with each of our strategic suppliers makes us stronger and faster, in order to give an immediate response to any request from our customers and the market in general.

The most advanced technology in plastic injection, in treatment of polyurethane, metallurgy and steel allow us to offer a careful detail and an extreme quality in each of our products, dedicating technological effort product design for an optimal results in the manufacture of our chairs.

We know how important tradition is in our upholstery. We have very specialized professionals, with up-to-date technology and a know-how oriented expressly to attention to detail. Great effort is put into printing and every sewing operation to guarantee our users the highest quality of clothing.

We like to innovate with materials to improve the feeling of comfort in our chairs and armchairs, with polyurethane injection media capable of faithfully reproducing the most ergonomic of designs.



d i l e o f f i c e . c o m